

TONONE



TONONE

How can we apply our fascination for traditional mechanics and craft tools into state-of-the art design? This quest was the starting point for the products of lighting label Tonone, known for the use of characteristic construction tools as a visual and a functional basis for innovative product design.

This vision was well illustrated by the design of the Tonone-line up: the Bolt-series, rapidly followed by the sturdy lamp Mr. Tubes, the hand blown glass series Atlas and Ella and the smart serie Orbit. In 2019 Tonone introduces two LED series; Beads, a series of lamps with 360 degrees dimmable LED range and the New Mr. Tubes LED.

Today the design team's vision is still committed to apply traditional craft tools and mechanics in innovative light design. Although the handwriting of Anton de Groof and his team is still to be described as bold and functional, the newly introduced light designs have evaluated to a slick, unadorned and smart lightconcept. Even when there is no visibility of the used mechanics, Tonone's signature is still recognized in every next step of its lighting design.

Tonone was founded in 2013 by designer Anton de Groof and is based in The Netherlands. The Tonone design team works together with local craftsmen to produce their products. During the design- and the production process the entire life cycle of the products is taken into account when it comes to sustainability, efficiency and logistics.




Anton de Groof



TABLE OF CONTENTS

BOLT




7

BEADS



35

MR. TUBES LED




53

ATLAS




69

ELLA



75

ORBIT



81

SPECIFICATIONS

87



BOLT

Starting point for the products of Tonone is the passion for traditional mechanics. The first product line that resulted from this fascination is the lamp series 'Bolt'.

Key element in this industrial series is the joint construction that can be adjusted with a wingnut-shaped tool. Besides being a functional tool, this wingnut is integrated in the design of the lamp itself as a distinctive visual element.



DESK

Design by Anton de Groof 2013 / 2018

Material	Steel & aluminum
Description	Base and body in coated steel, shade in coated aluminum the shade and arms are adjustable with the wingnut.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27

Colors 

More specifications on pages 87 – 102

2 arm foot







2 arm clamp



1 arm foot



1 arm clamp





Bolt Desk 2 arm – Flux Green



DESK SMALL

Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Base and body in coated steel, shade in coated aluminum the shade and arms are adjustable with the wingnut.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27

Colors 

More specifications on pages 87 – 102




2 arm small



1 arm small



1 arm small
clamp





TABLE


Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Base and body in coated steel, shade in coated aluminum the shade and arms are adjustable with the wingnut.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27


Colors 

More specifications on pages 87 – 102

standard



small





FLOOR


Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Base and body in coated steel, shade in coated aluminum the shade and arms are adjustable with the wingnut.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27


Colors

More specifications on pages 87 – 102

2 arm side fit



1 arm side fit





FLOOR LONG

Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Base and body in coated steel, shade in coated aluminum the shade and arms are adjustable with the wingnut.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27
Dimmer	2 arm upper fit includes a LED dimmer



Colors 

More specifications on pages 87 – 102

long 2 arm upper fit




long 1 arm side fit



WALL

Installation



Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Body in coated steel, shade in coated aluminum the shade and arms are adjustable with the wingnut.
Volt	220-240 V Max 60 Watt
Socket	E27
Installation	1. with powercord including switch and europlug 2. with terminal block to install directly on a junction box 3. with optional wall ring

Colors 

More specifications on pages 87 - 102

side fit








side fit small



side fit mini



under fit





BED

Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Body in coated steel, shade in coated aluminum the shade and arms are adjustable with the wingnut.
Volt	220-240 V Max 60 Watt
Socket	E27
Installation	1. with powercord including europlug 2. with terminal block to install directly on a junction box 3. with optional wall ring

Colors 

More specifications on pages 87 - 102



side fit



under fit




Installation





CEILING

Installation




Design by Anton de Groof 2016

Material	Steel & aluminum
Description	Body in coated steel, shade in coated aluminum the shade and arms are adjustable with the wingnut.
Volt	220-240 V Max 60 Watt
Socket	E27
Installation	1. with powercord including europlug 2. with terminal block to install directly on a junction box 3. with optional ceiling ring


Colors

More specifications on pages 87 - 102


1 arm upper fit





2 arm upper fit



1 arm side fit



2 arm side fit





CHANDELIER

Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Body in coated steel, shades in coated aluminum the shades and arms are adjustable with the wingnut.
Volt	220–240 V
Max Watt	60 Watt
Socket	E27



Colors 

More specifications on pages 87 – 102

6 arm



18 arm





PACK PENDANT

Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Body in coated steel, shades in coated aluminum the shades and arms are adjustable with the wingnut.
Volt	220-240 V
Max Watt	60 Watt
Socket	E27

Colors






More specifications on pages 87 – 102

pack pendant



- 12 pack = 2190
- 10 pack = 1790
- 8 pack = 1390
- 6 pack = 990






BEADS

With the Beads collection Tonone introduces a series of lamps designed to fit in every environment. The modest look of the armature starts shining when it comes to functionality. With its 360 degrees dimmable Led range, the Beads is a solution for every situation.

On top of that the Beads is available as a pendant, a ceiling-, wall-, floor- or table lamp. With the Beads Tonone illustrates a next step in innovating lighting concepts, but also sticks to the basic design signature of this brand.






PENDANT


Design by Anton de Groof 2018

Material	Aluminium
Description	The lightweight beads is completely made out of aluminum materials.
Volt	220–240 V
Watt	13 Watt
Light source	Phase cut dimmable led
LED color	Dim to warm (2100K to 3000K)
CRI	90
Color	



More specifications on pages 87 – 102





pendant box 50



pendant box 108



pendant





DIRECT

Design by Anton de Groof 2018

Material	Aluminium
Description	The lightweight beads is completely made out of aluminum materials.
Volt	220–240 V
Watt	13 Watt
Light source	Phase cut dimmable led
LED color	Dim to warm (2100K to 3000K)
CRI	90



Color 

More specifications on pages 87 – 102

direct outside



direct inside



Beads pendant




BEADS IN LINE

Design by Anton de Groof 2018



Material	Aluminium
Description	The lightweight beads is completely made out of aluminum materials.
Volt	220–240 V
Watt	13 Watt
Light source	Phase cut dimmable led
LED color	Dim to warm (2100K to 3000K)
CRI	90
Color	

More specifications on pages 87 – 102

five beads in line



three beads in line






BEADS IN CIRCLE

Design by Anton de Groof 2018

Material	Aluminium
Description	The lightweight beads is completely made out of aluminum materials.
Volt	220–240 V
Watt	13 Watt
Light source	Phase cut dimmable led
LED color	Dim to warm (2100K to 3000K)
CRI	90
Color	



More specifications on pages 87 – 102

three beads in circle





WALL

Installation wall 120



Installation wall 35




Design by Anton de Groof 2018

Material	Aluminium & steel
Description	The lightweight beads is completely made out of aluminum materials. Wall mounts in coated steel.
Volt	220-240 V 13 Watt
Light source	Dimmable led, Beads Wall with powercord is dimmable on fixture
LED color	Dim to warm (2100K to 3000K)
CRI	90
Installation	1. & 3. with powercord including europlug 2. & 4. with terminal block to install directly on a junction box

Color 

More specifications on pages 87 – 102




wall 120



wall 35 down



wall 35 up






FLOOR & TABLE

Design by Anton de Groof 2018


Material	Aluminium & steel
Description	The lightweight beads is completely made out of aluminum materials. Base and tube in coated steel.
Tech specs	220-240 V
Watt	13 Watt
Light source	Dimmable LED, Beads Floor includes a LED dimmer on cord Beads Table is dimmable on fixture
LED color	Dim to warm (2100K to 3000K)
CRI	90
Color	

More specifications on pages 87 – 102

floor



table





MR. TUBES LED




Mr. Tubes is a sturdy lamp design that combines pure functionality with graphical aesthetics. The black- or white coated steel construction holds the led tubes and gives the lamp an industrial look; a straightforward design suitable for various locations. The lamp is dimmable and the adjustable steel cables make it possible to hang the lamp at any height.

Mr. Tubes is available as a pendant single, double, floor, wall and chandelier. Or build your own with the Mr. Tubes Led Connect.


PENDANT

Installation




vertical 1000

driver separate



vertical 700

driver separate





Design by Anton de Groof 2019

Material	Steel & aluminum
Description	Body in coated steel & aluminum, carried by 2 black steel cables. The Mr. Tubes is dimmable and the steel cables make it possible to hang the lamp at any height.
Volt	220 V – 240 V 1000 mm tube 11,2 Watt 700 mm 7,6 Watt
Installation	1. driver on fixture 2. & 3. driver separate
Light color	2700K or 4000K
CRI	80
Colors	 
More specifications on pages 87 – 102	

single driver separate



single driver on fixture





DOUBLE

Design by Anton de Groof 2019

Material	Steel & aluminum
Description	Body in coated steel & aluminum, carried by 2 black steel cables. The Mr. Tubes is dimmable and the steel cables make it possible to hang the lamp at any height.
Volt	220 V – 240 V
Watt	11,2 Watt
Light color	2700K or 4000K
CRI	80





Colors  

More specifications on pages 87 – 102

double black



double white





WALL

Design by Anton de Groof 2019

Material	Steel & aluminum
Description	Body in coated steel & aluminum, carried by 2 black steel cables. The Mr. Tubes is dimmable and the steel cables make it possible to hang the lamp at any height.
Volt	220 V – 240 V 7,6 Watt
Light color	2700K or 4000K CRI: 80
Installation	1. with 3 meter powercord including europlug 2. with terminal block to install directly on a junction box 3. with optional wall ring



Colors ● ●

More specifications on pages 87 – 102

wall driver separate



wall driver on fixture



Drawings of the installation options of the Mr. Tubes LED driver separate: available on request or check tonone.com.



Mr. Tubes LED Chandelier




CHANDELIER

Design by Anton de Groof 2019


Material	Steel & aluminum
Description	Body in coated steel & aluminum, carried by 2 black steel cables. The Mr. Tubes is dimmable and the steel cables make it possible to hang the lamp at any height.
Volt	220 V – 240 V
Watt	7,6 Watt
Light color	2700K or 4000K
CRI	80
Colors	 


More specifications on pages 87 – 102

chandelier black



chandelier white





CONNECT


Design by Anton de Groof 2019

Material	Steel & aluminum
Description	Body in coated steel & aluminum, carried by 2 black steel cables. The Mr. Tubes is dimmable and the steel cables make it possible to hang the lamp at any height.
Volt	220 V – 240 V 1000 mm tube 11,2 Watt 700 mm tube 7,6 Watt
Light color	2700K or 4000K
CRI	80

Colors ● ●

Plan your Mr. Tubes led Connect with us.
info@tonone.com

connect





ATLAS



The combination of an aluminium or brass hinge mechanism with a transparent hand-blown glass shade creates a constructive lamp with a poetic character. By unfolding the hinge mechanism to an upright position, the glass shade is held up while it rests on the construction.

Atlas comes in two sizes; a big shade of 450 mm wide and a smaller shade of 350 mm wide.



ATLAS


Design by Anton de Groof 2015

Material	Brass & hand blown glass
Description	A hand blown glass shade held by an ingenious brass hinge mechanism.
Volt	220 V – 240 V
Max Watt	60 Watt
Socket	E27
Glass colors	Transparent & neutral grey


Color

More specifications on pages 87 – 102

D350



D450





ELLA



A hand-blown glass shade is supported by a sturdy steel tripod stand, underlining its strong, graphic yet elegant and light character. Both the transparent and the neutral grey shades provide a soft glow, and work harmoniously with the black or white stand colors and brass details.



ELLA

Design by Anton de Groof 2016

Material	Steel & hand blown glass
Description	The tripod stand is made of coated steel and holds a hand blown-glass shade.
Volt	220 V – 240 V
Max Watt	60 Watt
Socket	E27
Glass colors	Transparent or neutral grey

Body colors





More specifications on pages 87 – 102

ella black



ella white





ORBIT

For its products Tonone often finds inspiration in old or existing mechanical techniques. For the creation of lamp Orbit the design team looked at the techniques used in the sailing world. Just like a sailboat's rigging that hold the mast in place, the Orbit lamp stands firmly because it is supported by three stays. In this way a large floor lamp is created, but without a massive appearance.

The self-designed LED light source, the shade inspired by navigating by the stars, and the fact that the lamp is shippable in a compact box, makes Orbit an elegant, unique and clever design.







ORBIT

Design by Anton de Groof 2017 / 2018



Material	Concrete, steel, aluminum & polycotton shade/steel shade.
Description	Base in concrete, body in coated steel and aluminum, shade in polycotton or coated steel. The smart orbit lamp stands firmly because it is supported by three stays.
Volt	220 V – 240 V Max 20 Watt
Light source	Integrated dimmable led
Led color	2400 K
CRI	80
Colors	

More specifications on pages 87 – 102

pendant









floor under the stars

















specifications







p. 10		BOLT Desk 2 arm foot Anton de Groof, 2013		● smokey black	1001
		Material: steel & aluminum Weight: 7,8 kg IP 20 Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Cord length: 2900 mm		● flux green	1003
p. 10		BOLT Desk 2 arm clamp Anton de Groof, 2013		○ pure white	1005
		Material: steel & aluminum Weight: 2,5 kg IP 20 Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Cord length: 2900 mm		● midnight grey	1252
p. 11		BOLT Desk 1 arm foot Anton de Groof, 2013		● ash grey	1008
		Material: steel & aluminum Weight: 7,2 kg IP 20 Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Cord length: 2400 mm		● striking orange	1006
p. 11		BOLT Desk 1 arm clamp Anton de Groof, 2013		● lightning white	1004
		Material: steel & aluminum Weight: 1,9 kg IP 20 Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Cord length: 2400 mm		● thunder blue	1007
p. 15		BOLT Desk small 2 arm foot Anton de Groof, 2013 / 2018		● daybreak rose	1457
		Material: steel & aluminum Weight: 5,3 kg IP 20 Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Cord length: 2300 mm		● sunny yellow	1415
p. 15		BOLT Desk small 1 arm foot Anton de Groof, 2013 / 2018		● smokey black	1009
		Material: steel & aluminum Weight: 4,8 kg IP 20 Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Cord length: 2500 mm		● flux green	1011

light source(s) not included led integrated LED

p. 15		BOLT Desk small 1 arm clamp Anton de Groof, 2013 / 2018		● smokey black	1041
		Material: steel & aluminum Weight: 1,7 kg IP 20 Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Cord length: 2500 mm		● flux green	1042
p. 17		BOLT Table standard Anton de Groof, 2013		○ pure white	1044
		Material: steel & aluminum Weight: 7,3 kg IP 20 Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Cord length: 2300 mm		● midnight grey	1257
p. 17		BOLT Table small Anton de Groof, 2013		● ash grey	1048
		Material: steel & aluminum Weight: 7,2 kg IP 20 Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Cord length: 2500 mm		● striking orange	1045
p. 17		BOLT Mount for table / desk		● lightning white	1043
		Material: steel & aluminum Bolt Desk and Bolt Table available with mount instead of a foot or clamp. Please contact Tonone for more information. info@tonone.com		● thunder blue	1046
p. 19		BOLT Floor 2 arm side fit Anton de Groof, 2013		● daybreak rose	1463
		Material: steel & aluminum Weight: 8,8 kg Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Cord length: 3000 mm		● sunny yellow	1421
p. 19		BOLT Floor 1 arm side fit Anton de Groof, 2013		● smokey black	1049
		Material: steel & aluminum Weight: 8,4 kg IP 20 Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Cord length: 2400 mm		● flux green	1051

light source(s) not included led integrated LED

	BOLT Floor long 2 arm upper fit Anton de Groof, 2013		 smokey black	1360
	Material: steel & aluminum Weight: 10,1 kg Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Cord length: 2900 mm Includes a LED floordimmer on cord		 flux green	1361
	BOLT Floor long 1 arm side fit Anton de Groof, 2013		 pure white	1363
	Material: steel & aluminum Weight: 9,3 kg IP 20 Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Cord length: 2200 mm		 midnight grey	1367
	BOLT Wall side fit with cord Anton de Groof, 2013		 ash grey	1366
	Material: steel & aluminum Weight: 1,0 kg Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Cord length: 2600 mm		 striking orange	1364
	BOLT Wall side fit install Anton de Groof, 2013		 lightning white	1362
	Material: steel & aluminum Weight: 1,0 kg IP 20 Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Optional wall ring on page 102		 thunder blue	1365
	BOLT Wall side fit small with cord Anton de Groof, 2013		 daybreak rose	1469
	Material: steel & aluminum Weight: 1,0 kg Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Cord length: 2750 mm		 sunny yellow	1427
	BOLT Wall side fit small install Anton de Groof, 2013		 smokey black	1279
	Material: steel & aluminum Weight: 1,0 kg IP 20 Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Optional wall ring on page 102		 flux green	1280
			 pure white	1282
			 midnight grey	1286
			 ash grey	1285
			 striking orange	1283
			 lightning white	1281
			 thunder blue	1284
			 daybreak rose	1468
			 sunny yellow	1426
			 smokey black	1081
			 flux green	1083
			 pure white	1085
			 midnight grey	1262
			 ash grey	1088
			 striking orange	1086
			 lightning white	1084
			 thunder blue	1087
			 daybreak rose	1470
			 sunny yellow	1428
			 smokey black	1089
			 flux green	1091
			 pure white	1093
			 midnight grey	1265
			 ash grey	1096
			 striking orange	1094
			 lightning white	1092
			 thunder blue	1095
			 daybreak rose	1473
			 sunny yellow	1431
			 smokey black	1220
			 flux green	1222
			 pure white	1224
			 midnight grey	1263
			 ash grey	1227
			 striking orange	1225
			 lightning white	1223
			 thunder blue	1226
			 daybreak rose	1471
			 sunny yellow	1429
			 smokey black	1236
			 flux green	1238
			 pure white	1240
			 midnight grey	1266
			 ash grey	1243
			 striking orange	1241
			 lightning white	1239
			 thunder blue	1242
			 daybreak rose	1474
			 sunny yellow	1432

	BOLT Wall side fit mini with cord Anton de Groof, 2013		 smokey black	1228
	Material: steel & aluminum Weight: 0,9 kg Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Cord length: 2850 mm		 flux green	1230
	BOLT Wall side fit mini install Anton de Groof, 2013		 pure white	1232
	Material: steel & aluminum Weight: 0,9 kg IP 20 Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Optional wall ring on page 102		 midnight grey	1264
	BOLT Wall under fit with cord Anton de Groof, 2013		 ash grey	1235
	Material: steel & aluminum Weight: 1,2 kg IP 20 Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Cord length: 2600 mm		 striking orange	1233
	BOLT Wall under fit install Anton de Groof, 2013		 lightning white	1231
	Material: steel & aluminum Weight: 1,2 kg IP 20 Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Optional wall ring on page 102		 thunder blue	1234
	BOLT Bed side fit with cord Anton de Groof, 2013		 daybreak rose	1472
	Material: steel & aluminum Weight: 1,2 kg IP 20 Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Cord length: 2500 mm		 sunny yellow	1430
	BOLT Bed side fit with cord MIRROR Anton de Groof, 2013		 smokey black	1244
	Material: steel & aluminum Weight: 1,2 kg IP 20 Volt: 220-240 V Max Watt: 60 Watt Socket: E27 Cord length: 2500 mm		 flux green	1246
			 pure white	1248
			 midnight grey	1267
			 ash grey	1251
			 striking orange	1249
			 lightning white	1247
			 thunder blue	1250
			 daybreak rose	1475
			 sunny yellow	1433
			 smokey black	1105
			 flux green	1107
			 pure white	1109
			 midnight grey	1268
			 ash grey	1112
			 striking orange	1110
			 lightning white	1108
			 thunder blue	1111
			 daybreak rose	1476
			 sunny yellow	1434
			 smokey black	1113
			 flux green	1114
			 pure white	1116
			 midnight grey	1269
			 ash grey	1120
			 striking orange	1117
			 lightning white	1115
			 thunder blue	1118
			 daybreak rose	1477
			 sunny yellow	1435
			 smokey black	1129
			 flux green	1131
			 pure white	1133
			 midnight grey	1270
			 ash grey	1136
			 striking orange	1134
			 lightning white	1132
			 thunder blue	1135
			 daybreak rose	1478
			 sunny yellow	1436
			 smokey black	1529
			 flux green	1530
			 pure white	1531
			 midnight grey	1532
			 ash grey	1533
			 striking orange	1534
			 lightning white	1535
			 thunder blue	1536
			 daybreak rose	1537
			 sunny yellow	1538

BOLT Bed side fit install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Optional wall ring on page 102

Wingnut solid brass included

p. 25

- smokey black 1137
- flux green 1139
- pure white 1141
- midnight grey 1271
- ash grey 1144
- striking orange 1142
- lightning white 1140
- thunder blue 1143
- daybreak rose 1479
- sunny yellow 1437

BOLT Bed side fit install MIRROR
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Optional wall ring on page 102

Wingnut solid brass included

p. 25

- smokey black 1368
- flux green 1369
- pure white 1371
- midnight grey 1375
- ash grey 1374
- striking orange 1372
- lightning white 1370
- thunder blue 1373
- daybreak rose 1480
- sunny yellow 1438

BOLT Bed under fit with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,4 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included

p. 25

- smokey black 1145
- flux green 1147
- pure white 1149
- midnight grey 1272
- ash grey 1152
- striking orange 1150
- lightning white 1148
- thunder blue 1151
- daybreak rose 1481
- sunny yellow 1439

BOLT Bed under fit with cord MIRROR
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,4 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included

p. 25

- smokey black 1519
- flux green 1520
- pure white 1521
- midnight grey 1522
- ash grey 1523
- striking orange 1524
- lightning white 1525
- thunder blue 1526
- daybreak rose 1527
- sunny yellow 1528

BOLT Bed under fit install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,4 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Optional wall ring on page 102

Wingnut solid brass included

p. 25

- smokey black 1153
- flux green 1155
- pure white 1157
- midnight grey 1273
- ash grey 1160
- striking orange 1158
- lightning white 1156
- thunder blue 1159
- daybreak rose 1482
- sunny yellow 1440

BOLT Bed under fit install MIRROR
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,4 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Optional wall ring on page 102

Wingnut solid brass included

p. 25

- smokey black 1376
- flux green 1377
- pure white 1379
- midnight grey 1383
- ash grey 1382
- striking orange 1380
- lightning white 1378
- thunder blue 1373
- daybreak rose 1483
- sunny yellow 1441

BOLT Ceiling 1 arm side fit with cord
Anton de Groof, 2016

Material: steel & aluminum
Weight: 1,5 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2350 mm

Wingnut solid brass included

p. 29

- smokey black 1201
- flux green 1203
- pure white 1205
- midnight grey 1274
- ash grey 1207
- striking orange 1202
- lightning white 1204
- thunder blue 1206
- daybreak rose 1484
- sunny yellow 1442

BOLT Ceiling 1 arm side fit install
Anton de Groof, 2016

Material: steel & aluminum
Weight: 1,5 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Optional ceiling ring on page 102

Wingnut solid brass included

p. 29

- smokey black 1304
- flux green 1305
- pure white 1307
- midnight grey 1311
- ash grey 1310
- striking orange 1308
- lightning white 1306
- thunder blue 1309
- daybreak rose 1486
- sunny yellow 1444

BOLT Ceiling 2 arm side fit with cord
Anton de Groof, 2016

Material: steel & aluminum
Weight: 1,9 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2850 mm

Wingnut solid brass included

p. 29

- smokey black 1195
- flux green 1176
- pure white 1178
- midnight grey 1275
- ash grey 1181
- striking orange 1179
- lightning white 1177
- thunder blue 1180
- daybreak rose 1485
- sunny yellow 1443

BOLT Ceiling 2 arm side fit install
Anton de Groof, 2016

Material: steel & aluminum
Weight: 1,9 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Optional ceiling ring on page 102

Wingnut solid brass included

p. 29

- smokey black 1320
- flux green 1321
- pure white 1323
- midnight grey 1327
- ash grey 1326
- striking orange 1324
- lightning white 1322
- thunder blue 1325
- daybreak rose 1487
- sunny yellow 1445

BOLT Ceiling 1 arm upper fit with cord
Anton de Groof, 2016

Material: steel & aluminum
Weight: 1,7 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2350 mm

Wingnut solid brass included

p. 28

- smokey black 1182
- flux green 1183
- pure white 1185
- midnight grey 1276
- ash grey 1187
- striking orange 1188
- lightning white 1184
- thunder blue 1186
- daybreak rose 1488
- sunny yellow 1446

BOLT Ceiling 1 arm upper fit install
Anton de Groof, 2016

Material: steel & aluminum
Weight: 1,7 kg
IP 20
Volt: 220-240 V | Max Watt: 60 Watt
Socket: E27
Optional ceiling ring on page 102

Wingnut solid brass included

p. 28

- smokey black 1312
- flux green 1313
- pure white 1315
- midnight grey 1319
- ash grey 1318
- striking orange 1316
- lightning white 1314
- thunder blue 1317
- daybreak rose 1490
- sunny yellow 1448








 light source(s) not included **led** integrated LED

	BEADS Direct outside Anton de Groof, 2018 Material: aluminum Weight: 0,8 kg IP 20 Volt: 220-240 V 13 Watt Dim to warm 2100K to 3000K 1350 lumen CRI: 90 Phase cut dimmable	 smokey black 3000
p. 41	 led	
	BEADS Five beads in line Anton de Groof, 2018 Material: aluminum Weight: 5 kg IP 20 Volt: 220-240 V 13 Watt Dim to warm 2100K to 3000K 5 × 1350 lumen CRI: 90 Phase cut dimmable	 smokey black 3010
p. 44	 led	
	BEADS Three beads in line Anton de Groof, 2018 Material: aluminum Weight: 3 kg IP 20 Volt: 220-240 V 13 Watt Dim to warm 2100K to 3000K 3 × 1350 lumen CRI: 90 Phase cut dimmable	 smokey black 3020
p. 45	 led	
	BEADS Three beads in circle Anton de Groof, 2018 Material: aluminum & steel Weight: 3,1 kg IP 20 Volt: 220-240 V 13 Watt Dim to warm 2100K to 3000K 3 × 1350 lumen CRI: 90 Phase cut dimmable	 smokey black 3030
p. 47	 led	
	BEADS Wall 120 with cord Anton de Groof, 2018 Material: aluminum & steel Weight: 1,9 kg IP 20 Volt: 220-240 V 13 Watt Dim to warm 2100K to 3000K 1350 lumen CRI: 90 Dimmable on fixture Cord length: 2700 mm	 smokey black 2040
p. 48	 led	
	BEADS Wall 120 install Anton de Groof, 2018 Material: aluminum & steel Weight: 1,9 kg IP 20 Volt: 220-240 V 13 Watt Dim to warm 2100K to 3000K 1350 lumen CRI: 90 Phase cut dimmable	 smokey black 2050
p. 48	 led	







 light source(s) not included  led integrated LED

	BEADS Wall 35 downlight with cord Anton de Groof, 2018 Material: aluminum Weight: 1,3 kg IP 20 Volt: 220-240 V 13 Watt Dim to warm 2100K to 3000K 1350 lumen CRI: 90 Dimmable on fixture Cord length: 2600 mm	 smokey black 2060
p. 49	 led	
	BEADS Wall 35 downlight install Anton de Groof, 2018 Material: aluminum Weight: 1,3 kg IP 20 Volt: 220-240 V 13 Watt Dim to warm 2100K to 3000K 1350 lumen CRI: 90 Phase cut dimmable	 smokey black 2070
p. 49	 led	
	BEADS Wall 35 uplight with cord Anton de Groof, 2018 Material: aluminum Weight: 1,3 kg IP 20 Volt: 220-240 V 13 Watt Dim to warm 2100K to 3000K 1350 lumen CRI: 90 Dimmable on fixture Cord length: 2600 mm	 smokey black 2080
p. 49	 led	
	BEADS Wall 35 uplight install Anton de Groof, 2018 Material: aluminum Weight: 1,3 kg IP 20 Volt: 220-240 V 13 Watt Dim to warm 2100K to 3000K 1350 lumen CRI: 90 Phase cut dimmable	 smokey black 2090
p. 49	 led	
	BEADS Table uplight Anton de Groof, 2018 Material: aluminum & steel Weight: 4 kg IP 20 Volt: 220-240 V 13 Watt Dim to warm 2100K to 3000K 1350 lumen CRI: 90 Dimmable on fixture Cord length: 2400 mm	 smokey black 3060
p. 51	 led	
	BEADS Table downlight Anton de Groof, 2018 Material: aluminum & steel Weight: 4 kg IP 20 Volt: 220-240 V 13 Watt Dim to warm 2100K to 3000K 1350 lumen CRI: 90 Dimmable on fixture Cord length: 2400 mm	 smokey black 3070
p. 51	 led	







 light source(s) not included  led integrated LED

	BEADS Floor uplight Anton de Groof, 2018		● smokey black	3040
	Material: aluminum Weight: 7,6 kg IP 20 Volt: 220–240 V 13 Watt Dim to warm 2100K to 3000K 1350 lumen CRI: 90 Dimmable on floor LED dimmer on cord Cord length: 2100 mm			
p. 51	led			
	BEADS Floor downlight Anton de Groof, 2018		● smokey black	3050
	Material: aluminum Weight: 7,6 kg IP 20 Volt: 220–240 V 13 Watt Dim to warm 2100K to 3000K 1350 lumen CRI: 90 Cord length: 2100 mm Dimmable on floor LED dimmer on cord			
p. 51	led			
	MR. TUBES LED Pendant horizontal 2700K driver separate Anton de Groof, 2019		● smokey black with black cords ○ pure white with orange cords	4000 4002
	Material: steel & aluminum Weight: 0,8 kg IP 20 Volt: 220–240 V 11,2 Watt 1300 lumen 2700K CRI: 80 Phase cut dimmable			
p. 57	led			
	MR. TUBES LED Pendant horizontal 4000K driver separate Anton de Groof, 2019		● smokey black with black cords ○ pure white with orange cords	4001 4003
	Material: steel & aluminum Weight: 0,8 kg IP 20 Volt: 220–240 V 11,2 Watt 1430 lumen 4000K CRI: 80 Phase cut dimmable			
p. 57	led			
	MR. TUBES LED Pendant horizontal 2700K driver on fixture Anton de Groof, 2019		● smokey black with black cords ○ pure white with orange cords	4005 4007
	Material: steel & aluminum Weight: 1,3 kg IP 20 Volt: 220–240 V 11,2 Watt 1300 lumen 2700K CRI: 80 Phase cut dimmable			
p. 57	led			
	MR. TUBES LED Pendant horizontal 4000K driver on fixture Anton de Groof, 2019		● smokey black with black cords ○ pure white with orange cords	4006 4008
	Material: steel & aluminum Weight: 1,3 kg IP 20 Volt: 220–240 V 11,2 Watt 1430 lumen 4000K CRI: 80 Phase cut dimmable			
p. 57	led			
Wingnut solid brass included				







 light source(s) not included
led integrated LED

	MR. TUBES LED Pendant vertical 700 2700K Anton de Groof, 2019		● smokey black with black cords ○ pure white with orange cords	4010 4011
	Material: steel & aluminum Weight: 0,7 kg IP 20 Volt: 220–240 V 7,6 Watt 890 lumen 2700K CRI: 80 Phase cut dimmable			
p. 56	led			
	MR. TUBES LED Pendant vertical 700 4000K Anton de Groof, 2019		● smokey black with black cords ○ pure white with orange cords	4012 4013
	Material: steel & aluminum Weight: 0,7 kg IP 20 Volt: 220–240 V 7,6 Watt 980 lumen 4000K CRI: 80 Phase cut dimmable			
p. 56	led			
	MR. TUBES LED Pendant vertical 1000 2700K Anton de Groof, 2019		● smokey black with black cords ○ pure white with orange cords	4014 4017
	Material: steel & aluminum Weight: 0,8 kg IP 20 Volt: 220–240 V 11,2 Watt 1300 lumen 2700K CRI: 80 Phase cut dimmable			
p. 56	led			
	MR. TUBES LED Pendant vertical 1000 4000K Anton de Groof, 2019		● smokey black with black cords ○ pure white with orange cords	4018 4019
	Material: steel & aluminum Weight: 0,8 kg IP 20 Volt: 220–240 V 11,2 Watt 1430 lumen 4000K CRI: 80 Phase cut dimmable			
p. 56	led			
	MR. TUBES LED Double 2700K Anton de Groof, 2019		● smokey black with black cords ○ pure white with orange cords	4015 4020
	Material: steel & aluminum Weight: 3,9 kg IP 20 Volt: 220–240 V 11,2 Watt 2 × 1300 lumen 2700K CRI: 80 Phase cut dimmable			
p. 59	led			
	MR. TUBES LED Double 4000K Anton de Groof, 2019		● smokey black with black cords ○ pure white with orange cords	4016 4021
	Material: steel & aluminum Weight: 3,9 kg IP 20 Volt: 220–240 V 11,2 Watt 2 × 1430 lumen 4000K CRI: 80 Phase cut dimmable			
p. 59	led			







 light source(s) not included
led integrated LED

	MR. TUBES LED Wall driver separate 2700K Anton de Groof, 2019 Material: steel & aluminum Weight: 1,1 kg IP 20 Volt: 220–240 V 7,6 Watt 890 lumen 2700K CRI: 80 Phase cut dimmable Optional wall ring on page 102		● smokey black with black cords	4035
			○ pure white with orange cords	4037
p. 61	Wingnut solid brass included	led		
	MR. TUBES LED Wall driver separate 4000K Anton de Groof, 2019 Material: steel & aluminum Weight: 1,1 kg IP 20 Volt: 220–240 V 7,6 Watt 980 lumen 4000K CRI: 80 Phase cut dimmable Optional wall ring on page 102		● smokey black with black cords	4036
			○ pure white with orange cords	4038
p. 61	Wingnut solid brass included	led		
	MR. TUBES LED Wall driver on fixture 2700K with cord Anton de Groof, 2019 Material: steel & aluminum Weight: 1,3 kg IP 20 Volt: 220–240 V 7,6 Watt 890 lumen 2700K CRI: 80 Phase cut dimmable Cord length: 3000 mm		● smokey black with black cords	4039
			○ pure white with orange cords	4041
p. 61	Wingnut solid brass included	led		
	MR. TUBES LED Wall driver on fixture 2700K install Anton de Groof, 2019 Material: steel & aluminum Weight: 1,3 kg IP 20 Volt: 220–240 V 7,6 Watt 890 lumen 2700K CRI: 80 Phase cut dimmable Cord length: 3000 mm Optional ceiling ring on page 102		● smokey black with black cords	4031
			○ pure white with orange cords	4033
p. 61	Wingnut solid brass included	led		
	MR. TUBES LED Wall driver on fixture 4000K with cord Anton de Groof, 2019 Material: steel & aluminum Weight: 1,3 kg IP 20 Volt: 220–240 V 7,6 Watt 980 lumen 4000K CRI: 80 Phase cut dimmable Cord length: 3000 mm		● smokey black with black cords	4040
			○ pure white with orange cords	4042
p. 61	Wingnut solid brass included	led		
	MR. TUBES LED Wall driver on fixture 4000K install Anton de Groof, 2019 Material: steel & aluminum Weight: 1,3 kg IP 20 Volt: 220–240 V 7,6 Watt 980 lumen 4000K CRI: 80 Phase cut dimmable Optional wall ring on page 102		● smokey black with black cords	4043
			○ pure white with orange cords	4044
p. 61	Wingnut solid brass included	led		

 light source(s) not included led integrated LED

	MR. TUBES LED Chandelier 2700K Anton de Groof, 2019 Material: steel & aluminum Weight: 7,1 kg IP 20 Volt: 220–240 V 7,6 Watt 5 × 890 2700K CRI: 80 Phase cut dimmable Cord length: max 3000 mm		● smokey black with black cords	4045
			○ pure white with orange cords	4050
p. 65	Wingnut solid brass included	led		
	MR. TUBES LED Chandelier 4000K Anton de Groof, 2019 Material: steel & aluminum Weight: 7,1 kg IP 20 Volt: 220–240 V 7,6 Watt 5 × 980 lumen 4000K CRI: 80 Phase cut dimmable Cord length: max 3000 mm		● smokey black with black cords	4046
			○ pure white with orange cords	4051
p. 65	Wingnut solid brass included	led		
	MR. TUBES LED Connect Anton de Groof, 2019 Material: steel & aluminum IP 20 Volt: 220–240 V 1300 or 1430 lumen 2700K or 4000K CRI: 80 Phase cut dimmable		○ Plan your Mr. Tubes LED Connect with us	
			info@tonone.com	
p. 67	Wingnut solid brass included	led		
	ATLAS D350 Anton de Groof, 2015 Material: brass & hand blown glass Weight: 4 kg IP 20 Volt: 220–240 V Max Watt: 60 Watt Socket: E27 Cord length: max 3000 mm		○ transparent	1400
			● neutral grey	1401
p. 73				
	ATLAS D450 Anton de Groof, 2015 Material: brass & hand blown glass Weight: 7,6 kg IP 20 Volt: 220–240 V Max Watt: 60 Watt Socket: E27 Cord length: max 3000 mm		○ transparent	1403
			● neutral grey	1404
p. 73				
	ELLA Black Anton de Groof, 2016 Material: steel & hand blown glass Weight: 5,1 kg IP 20 Volt: 220–240 V Max Watt: 60 Watt Socket: E27 Cord length: 2400 mm Dimmer on cord		○ transparent	1407
			● neutral grey	1406
p. 79				

 light source(s) not included led integrated LED

 p. 79	ELLA White Anton de Groof, 2016		○ transparent	1409
	Material: steel & hand blown glass Weight: 5,1 kg IP 20 Volt: 220–240 V Max Watt: 60 Watt Socket: E27 Cord length: 2400 mm Dimmer on cord		● neutral grey	1408
 p. 85	ORBIT Floor Anton de Groof, 2017 / 2018		● black	1410
	Material: concrete, steel, aluminum & polycotton shade / steel shade Weight: floor polycotton black shade 18,2 kg floor shade black under the stars 23,3 kg IP 20 Volt: 220–240 V Max Watt: 20 Watt Lumen: 1500 up 1500 down 2400K CRI: 80 Light source: 24 V dimmable LED Cord length: 2800 mm Dimmable on fixture		● black – under the stars	1411
 p. 85	ORBIT Pendant Anton de Groof, 2017 / 2018		● black	1412
	Material: steel & aluminum Weight: pendant polycotton black shade 4,0 kg pendant black shade under the stars 9,1 kg IP 20 Volt: 220–240 V Max Watt: 20 Watt Lumen: 1500 up 1500 down 2400K CRI: 80 Light source: 24 V dimmable LED Cord length: 1800 mm Phase cut dimmable		● black – under the stars	1413
	Wingnut Material: solid brass, copper, stainless steel or black aluminum Wingnut Solid Brass included with the Bolt Collection and Mr. Tubes LED Pendant horizontal, Wall driver on fixture and Chandelier. Sold separately per 10 pieces.		● solid brass	1300
			● copper	1302
	Wall ring Material: steel Optional ring for installation of: - Bolt Wall install p. 90 - Bolt Wall small install p. 90 - Bolt Wall mini install p. 91 - Bolt Wall underfit install p. 91 - Bolt Bed sidefit install p. 92 - Bolt Bed underfit install p. 92 - Mr. Tubes Led Wall driver separate 2700 K p. 100 - Mr. Tubes Led Wall driver separate 4000 K p. 100 - Mr. Tubes Led Wall driver on fixture 2700 K install p. 100 - Mr. Tubes Led Wall driver on fixture 4000 K install p. 100		● smokey black	1385
			● flux green	1386
	Ceiling ring Material: steel Optional ring for installation of: - BOLT Ceiling 1 arm upper fit install p. 93 - BOLT Ceiling 2 arm upper fit install p. 94 - BOLT Ceiling 1 arm side fit install p. 93 - BOLT Ceiling 2 arm side fit install p. 93		○ pure white	1387
			● midnight grey	1388



Special thanks to:

Wonderwood Fotografie – Laura Westendorp

Post & Everaarts

Eetbar DIT

BUURT

JM van Delft & ZN

Carlos in Huis

Floor van der Lande & Frank de Ridder

Familie Wieggers

Arjan Benning Film & Photography

Frank van Delft Photography

Ruud Peijnenburg Fotografie

The Duke Boutique Hotel

IXXI - Marije Kuiper Photography

Drent en van Dijk – Ronald Zijlstra Fotografie

Zilverblauw

Hans Schoenmakers – Spring Design

Tonone

Veemarktkade 8 – 6117

5222 AE Den Bosch

The Netherlands

info@tonone.com

www.tonone.com

+31 (0) 85 782 13 33

BTW / VAT NL 8532 13 215 B01

KVK / CH.O.C. 58 86 26 92



copyright © Tonone 2021

All rights reserved



*Relax
it's just a lamp*

