

Price List EUR

June 2025





ANOUR 

ANOUR - Valhøjs Allé 180, 2610 Rødovre - Denmark - Corp.reg.no.: DK 44167999
Phone: +45 33 60 70 70 - Mail: contact@anour.dk - Web: www.anour.dk

1. I-MODEL CORD
2. I-MODEL CORDLESS
3. I-MODEL CORDLESS AURA
4. G-MODEL CORDLESS
5. X-MODEL
6. Y-MODEL
7. I-MODEL WALL MOUNTED
8. I-MODEL AURA WALL MOUNTED
9. DIVAR 2.0
10. DIVAR
11. PAPILIO
12. DONYA PIVOT WALL
13. DONYA PIVOT CEILING
14. DONYA PIVOT DROPPED CEILING
15. DONYA CEILING SPOT
16. DONYA PENDANT
17. DONYA WALL
18. DONYA TABLE
19. T-MODEL
20. F-MODEL
21. PARS WALL
22. PARS HORIZONTAL
23. PARS PENDANT CLUSTER
24. PARS CHANDALIER

**ANOUR's products are handcrafted by our braziers in Denmark. All products are unique and can vary in the surface as well as patinate.
Reservations are made for printing/typing errors**

For further informations, please refer to the installation manual and spec sheets.

MATERIAL	TREATMENT	SURFACE	CORD	ITEM	LENGTH	EX. VAT	INCL. VAT
COPPER	BRUSHED		COPPER	100	100 cm	1.897,30	
				150	150 cm	2.113,51	
				200	200 cm	2.329,73	
				250	250 cm	2.654,05	
				300	300 cm	3.086,49	
COPPER	BROWNED		BROWN	101	100 cm	2.005,41	
				151	150 cm	2.221,62	
				201	200 cm	2.491,89	
				251	250 cm	2.762,16	
				301	300 cm	3.194,59	
COPPER	POLISHED		COPPER	103	100 cm	2.113,51	
				153	150 cm	2.329,73	
				203	200 cm	2.545,95	
				253	250 cm	2.870,27	
				303	300 cm	3.302,70	
BRASS	BRUSHED		GREY	104	100 cm	1.897,30	
				154	150 cm	2.113,51	
				204	200 cm	2.329,73	
				254	250 cm	2.654,05	
				304	300 cm	3.086,49	
BRASS	BROWNED		BROWN	105	100 cm	2.005,41	
				155	150 cm	2.221,62	
				205	200 cm	2.491,89	
				255	250 cm	2.762,16	
				305	300 cm	3.194,59	
BRASS	POLISHED		GREY	106	100 cm	2.113,51	
				156	150 cm	2.329,73	
				206	200 cm	2.545,95	
				256	250 cm	2.870,27	
				306	300 cm	3.302,70	
STEEL	RUSTED		BROWN	107	100 cm	2.221,62	
				157	150 cm	2.437,84	
				207	200 cm	2.654,05	
				257	250 cm	2.978,38	
				307	300 cm	3.410,81	
STAINLESS STEEL	BLACK*		BLACK	108	100 cm	2.005,41	
				158	150 cm	2.221,62	
				208	200 cm	2.491,89	
				258	250 cm	2.762,16	
				308	300 cm	3.194,59	
BRASS	DARK OPAL CHROME		BLACK	113	100 cm	2.113,51	
				163	150 cm	2.329,73	
				213	200 cm	2.545,95	
				263	250 cm	2.870,27	
				313	300 cm	3.302,70	
STAINLESS STEEL	BRUSHED*		GREY	109	100 cm	1.897,30	
				159	150 cm	2.113,51	
				209	200 cm	2.329,73	
				259	250 cm	2.654,05	
				309	300 cm	3.086,49	
STAINLESS STEEL	POLISHED*		GREY	114	100 cm	2.113,51	
				164	150 cm	2.329,73	
				214	200 cm	2.545,95	
				264	250 cm	2.870,27	
				314	300 cm	3.302,70	

* Not available in Custom Size

CUSTOM SIZE & WIRE POSITION

- Special sizes are available at an additional cost of +10% of the size above the desired length. Please notice availability only on selected materials.
- Custom Wire position is available at an additional cost of +10% of the total cost of the lamp.

ALWAYS CHOOSE THE BELOW DIMMING OPTIONS

DIMMING OPTIONS (PLEASE CONSULT AN ELECTRICIAN FIRST)

DIMMING	ITEM	EX. VAT	INCL. VAT	NOTE	EXTRAS	ITEM	EX. VAT	INCL. VAT	NOTE
Touch Dim	42			Built in button on the fixture (3 phased cord) - No external dimming possible					
TRIAC*	500	202,70		230V Dimming (3 phased cord)					
DALI*	510	135,14		Low voltage (5 phased cord)					
PUSH DIM*	515	135,14		230V Dimming (5 phased cord)					
1-10 Volt*	520	135,14		Low voltage (5 phased cord)					
Casambi*	525	232,97		Bluetooth Wireless Dimming (3 phased cord)	Wall Switch	528	135,14		Wall Switch control

* When choosing external dimming the button on the fixture will have no function, except for holding the light source in place

CORD COLOURS (OPTIONAL)

TEXTILE CORD	ITEM	EX. VAT	INCL. VAT	NOTE
GREY	26	40,54		Recommended cord colour included.
BLACK	27	40,54		
BROWN	28	40,54		
COPPER	29	40,54		


LIGHT COLOUR (OPTIONAL)

KELVIN	ITEM	EX. VAT	INCL. VAT	NOTE
2700 KELVIN	569			Recommended 2700 Kelvin included.
3000 KELVIN	570	135,14		
4000 KELVIN	572	135,14		

EXTRA (OPTIONAL)

	ITEM	EX. VAT	INCL. VAT	NOTE
Wire Kit I-MODEL Cord	30	37,84		Standard wire 3m
Extra long cord +3m Cord	35	40,54		Standard cord 3m
Plastic clips for I-model Cord	5	6,76		5 pcs
Wire grippers for slope ceiling	36	20,27		
Rosette: Brushed	10R	162,16		ø60mm
Copper *	10RB	194,59		ø100mm backplate
Rosette: Browned	11R	216,22		ø60mm
Copper*	11RB	237,84		ø100mm backplate
Rosette: Brushed	14R	162,16		ø60mm
Brass*	14RB	194,59		ø100mm backplate
Rosette: Browned	15R	216,22		ø60mm
Brass*	15RB	237,84		ø100mm backplate
Rosette:Brushed	19R	162,16		ø60mm
Stainless Steel*	19RB	194,59		ø100mm backplate

*Rosettes are only available for 3 phased cords



For further informations, please refer to the installation manual and spec sheets.

MATERIAL	TREATMENT	SURFACE	ITEM	LENGTH	EX. VAT	INCL. VAT
COPPER	BRUSHED		H100	100 cm	2.005,41	
			H150	150 cm	2.221,62	
			H200	200 cm	2.437,84	
			H250	250 cm	2.762,16	
			H300	300 cm	3.194,59	
COPPER	BROWNE		H101	100 cm	2.113,51	
			H151	150 cm	2.329,73	
			H201	200 cm	2.545,95	
			H251	250 cm	2.870,27	
			H301	300 cm	3.302,70	
COPPER	POLISHED		H103	100 cm	2.221,62	
			H153	150 cm	2.437,84	
			H203	200 cm	2.654,05	
			H253	250 cm	2.978,38	
			H303	300 cm	3.410,81	
BRASS	BRUSHED		H104	100 cm	2.005,41	
			H154	150 cm	2.221,62	
			H204	200 cm	2.437,84	
			H254	250 cm	2.762,16	
			H304	300 cm	3.194,59	
BRASS	BROWNE		H105	100 cm	2.113,51	
			H155	150 cm	2.329,73	
			H205	200 cm	2.545,95	
			H255	250 cm	2.870,27	
			H305	300 cm	3.302,70	
BRASS	POLISHED		H106	100 cm	2.221,62	
			H156	150 cm	2.437,84	
			H206	200 cm	2.654,05	
			H256	250 cm	2.978,38	
			H306	300 cm	3.410,81	
STEEL	RUSTED		H107	100 cm	2.329,73	
			H157	150 cm	2.545,95	
			H207	200 cm	2.762,16	
			H257	250 cm	3.086,49	
			H307	300 cm	3.518,92	
STAINLESS STEEL	BLACK*		H108	100 cm	2.113,51	
			H158	150 cm	2.329,73	
			H208	200 cm	2.545,95	
			H258	250 cm	2.870,27	
			H308	300 cm	3.302,70	
BRASS	DARK OPAL CHROME		H113	100 cm	2.221,62	
			H163	150 cm	2.437,84	
			H213	200 cm	2.654,05	
			H263	250 cm	2.978,38	
			H313	300 cm	3.410,81	
STAINLESS STEEL	BRUSHED*		H109	100 cm	2.005,41	
			H159	150 cm	2.221,62	
			H209	200 cm	2.437,84	
			H259	250 cm	2.762,16	
			H309	300 cm	3.194,59	
STAINLESS STEEL	POLISHED*		H114	100 cm	2.221,62	
			H164	150 cm	2.437,84	
			H214	200 cm	2.654,05	
			H264	250 cm	2.978,38	
			H314	300 cm	3.410,81	

* Not available in Custom Size

LIGHT COLOUR (OPTIONAL)

	ITEM	EX. VAT	INCL. VAT	NOTE
2700 KELVIN	569			Recommended 2700 Kelvin included.
3000 KELVIN	570	135,14		
4000 KELVIN	572	135,14		

SELECT INSTALLATION

	ITEM	EX. VAT	INCL. VAT	NOTE
Visible driver	40			Standard wire 8m
Dropped Ceiling Installation	37	37,84		insulated cord 4m, metal wires 4m

EXTRA (OPTIONAL)


	ITEM	EX. VAT	INCL. VAT	NOTE
Wire Kit I-MODEL Cordless	31	37,84		Standard wire 8m
Wire kit I-MODEL Cordless dropped	37	37,84		insulated cord 4m, metal wires 4m
Wire grippers for slope ceiling	36	20,27		only for dropped ceiling installation
Extra Acrylic mounting	6	10,14		incl. screw and wallplug

CUSTOM SIZE

Special sizes are available at an additional cost of +10% of the size above the desired length. Please notice availability only on selected materials.

CUSTOM WIRE POSITION

Custom Wire position is available at an additional cost of +10% of the total cost of the lamp.



ALWAYS CHOOSE THE BELOW DIMMING OPTIONS

DIMMING OPTIONS (PLEASE CONSULT AN ELECTRICIAN FIRST)

DIMMING	ITEM	EX. VAT	INCL. VAT	NOTE	EXTRAS	ITEM	EX. VAT	INCL. VAT	NOTE
Touch Dim	42			Button on the fixture - No external dimming possible					
TRIAC*	500	202,70		230V Dimming					
DALI*	510	135,14		Low voltage	** Longer Cordless box (45cm) for external dimming 300cm				
PUSH DIM*	515	135,14		230V Dimming	** Longer Cordless box (45cm) for external dimming 300cm				
1-10 Volt*	520	135,14		Low voltage	** Longer Cordless box (45cm) for external dimming 300cm				
Casambi*	525	232,97		Bluetooth Wireless Dimming	Wall Switch	528	135,14		Wall Switch control

* When choosing external dimming the button on the fixture will have no function, except for holding the light source in place

For further informations, please refer to the installation manual and spec sheets.

MATERIAL	TREATMENT	SURFACE	ITEM	LENGTH	EX. VAT	INCL. VAT
COPPER	BRUSHED		AH100	100 cm	2.545,95	
			AH150	150 cm	2.870,27	
			AH200	200 cm	3.194,59	
			AH250	250 cm	3.627,03	
			AH300	300 cm	4.167,57	
COPPER	BROWNE		AH101	100 cm	2.654,05	
			AH151	150 cm	2.978,38	
			AH201	200 cm	3.302,70	
			AH251	250 cm	3.735,14	
			AH301	300 cm	4.275,68	
COPPER	POLISHED		AH103	100 cm	2.762,16	
			AH153	150 cm	3.086,49	
			AH203	200 cm	3.410,81	
			AH253	250 cm	3.843,24	
			AH303	300 cm	4.383,78	
BRASS	BRUSHED		AH104	100 cm	2.545,95	
			AH154	150 cm	2.870,27	
			AH204	200 cm	3.194,59	
			AH254	250 cm	3.627,03	
			AH304	300 cm	4.167,57	
BRASS	BROWNE		AH105	100 cm	2.654,05	
			AH155	150 cm	2.978,38	
			AH205	200 cm	3.302,70	
			AH255	250 cm	3.735,14	
			AH305	300 cm	4.275,68	
BRASS	POLISHED		AH106	100 cm	2.762,16	
			AH156	150 cm	3.086,49	
			AH206	200 cm	3.410,81	
			AH256	250 cm	3.843,24	
			AH306	300 cm	4.383,78	
STEEL	RUSTED		AH107	100 cm	2.870,27	
			AH157	150 cm	3.194,59	
			AH207	200 cm	3.518,92	
			AH257	250 cm	3.951,35	
			AH307	300 cm	4.491,89	
STAINLESS STEEL	BLACK*		AH108	100 cm	2.654,05	
			AH158	150 cm	2.978,38	
			AH208	200 cm	3.302,70	
			AH258	250 cm	3.735,14	
			AH308	300 cm	4.275,68	
BRASS	DARK OPAL CHROME		AH113	100 cm	2.762,16	
			AH163	150 cm	3.086,49	
			AH213	200 cm	3.410,81	
			AH263	250 cm	3.843,24	
			AH313	300 cm	4.383,78	
STAINLESS STEEL	BRUSHED*		AH109	100 cm	2.545,95	
			AH159	150 cm	2.870,27	
			AH209	200 cm	3.194,59	
			AH259	250 cm	3.627,03	
			AH309	300 cm	4.167,57	
STAINLESS STEEL	POLISHED*		AH114	100 cm	2.762,16	
			AH164	150 cm	3.086,49	
			AH214	200 cm	3.410,81	
			AH264	250 cm	3.843,24	
			AH314	300 cm	4.383,78	

* Not available in Custom Size

LIGHT COLOUR (OPTIONAL)

	ITEM	EX. VAT	INCL. VAT	NOTE
2700 KELVIN	569			Recommended 2700 Kelvin included.
3000 KELVIN	570	135,14		
4000 KELVIN	572	135,14		

SELECT INSTALLATION

	ITEM	EX. VAT	INCL. VAT	NOTE
Visible driver	40A			Standard wire 8m
Dropped Ceiling Installation	37A	37,84		insulated cord 4m, metal wires 4m

EXTRA (OPTIONAL)


	ITEM	EX. VAT	INCL. VAT	NOTE
Wire Kit I-MODEL Cordless	31A	37,84		Standard wire 8m
Wire kit I-MODEL Cordless dropped	37A	37,84		insulated cord 4m, metal wires 4m
Wire grippers for slope ceiling	36	20,27		only for dropped ceiling installation
Extra Acrylic mounting	6	10,14		incl. screw and wallplug

CUSTOM SIZE

Special sizes are available at an additional cost of +10% of the size above the desired length. Please notice availability only on selected materials.

CUSTOM WIRE POSITION

Custom Wire position is available at an additional cost of +10% of the total cost of the lamp.



ALWAYS CHOOSE THE BELOW DIMMING OPTIONS

EXTERNAL DIMMING OPTIONS (PLEASE CONSULT AN ELECTRICIAN FIRST)

DIMMING	ITEM	EX. VAT	INCL. VAT	NOTE	EXTRAS	ITEM	EX. VAT	INCL. VAT	NOTE
TRIAC	500AH	202,70		230V Dimming (PAIRED DIMMING) - NOTE!! Longer Cordless box (45cm) for sizes 200cm + 250cm + 300cm					
DALI	510AH	135,14		Low voltage (PAIRED DIMMING) - NOTE!! Longer Cordless box (45cm) for sizes 200cm + 250cm + 300cm					
PUSH DIM	515AH	135,14		230V Dimming (PAIRED DIMMING) - NOTE!! Longer Cordless box (45cm) for sizes 200cm + 250cm + 300cm					
1-10 Volt	520AH	135,14		Low voltage (PAIRED DIMMING) - NOTE!! Longer Cordless box (45cm) for sizes 200cm + 250cm + 300cm					
Casambi	525AH	232,97		Bluetooth (INDIVIDUAL DIMMING)	Wall Switch	528	135,14		Wall Switch control


G-MODEL CORDLESS

Standard: **Dimming not included, please see below options**
Light Colour 2700 Kelvin

EUR PRICE LIST 2025
Approx. Lead Time: 10 Weeks

For further informations, please refer to the installation manual and spec sheets.

MATERIAL	TREATMENT	SURFACE	ITEM	LENGTH	EX. VAT	INCL. VAT
ALUMINIUM	BLACK		G50	50 cm	648,65	
			G75	75 cm	702,70	
			G100	100 cm	756,76	
			G150	150cm	864,86	
			G200	200 cm	972,97	
ALUMINIUM	POLISHED		G60	50 cm	702,70	
			G85	75 cm	756,76	
			G110	100 cm	810,81	
			G160	150cm	918,92	
			G210	200 cm	1.027,03	



LIGHT COLOUR (OPTIONAL)

	ITEM	EX. VAT	INCL. VAT	NOTE
2700 KELVIN	569			Recommended 2700 Kelvin included.
3000 KELVIN	570	135,14		
4000 KELVIN	572	135,14		

SELECT INSTALLATION

	ITEM	EX. VAT	INCL. VAT	NOTE
Visible driver	40G			Standard wire 8m
Dropped Ceiling Installation	41G	37,84		insulated cord 4m, metal wires 4m

EXTRA (OPTIONAL)




	ITEM	EX. VAT	INCL. VAT	NOTE
Wire Kit G-MODEL Cordless	34	37,84		Standard wire 8m
Wire kit G-MODEL Cordless	41	37,84		insulated cord 4m, metal wires 4m
Wire grippers for slope ceiling	36	20,27		only for dropped ceiling installation
Extra Acrylic mounting	6	10,14		incl. screw and wallplug

ALWAYS CHOOSE THE BELOW DIMMING OPTIONS

EXTERNAL DIMMING OPTIONS (PLEASE CONSULT AN ELECTRICIAN FIRST)

DIMMING	ITEM	EX. VAT	INCL. VAT	NOTE	EXTRAS	ITEM	EX. VAT	INCL. VAT	NOTE
TRIAC	500	202,70		230V Dimming					
DALI	510	135,14		Low voltage					
PUSH DIM	515	135,14		230V Dimming					
1-10 Volt	520	135,14		Low voltage					
Casambi	525	232,97		Bluetooth Wireless Dimming	Wall Switch	528	135,14		Wall Switch control

For further informations, please refer to the installation manual and spec sheets.

MATERIAL	TREATMENT	SURFACE	ITEM	EX. VAT	INCL. VAT
COPPER	BRUSHED		50	3.351,35	
COPPER	BROWNE		51	3.459,46	
COPPER	POLISHED		53	3.567,57	
BRASS	BRUSHED		54	3.351,35	
BRASS	BROWNE		55	3.459,46	
BRASS	POLISHED		56	3.567,57	
BRASS	DARK OPAL CHROME*		63	3.567,57	
STAINLESS STEEL	BRUSHED*		59	3.351,35	
STAINLESS STEEL	POLISHED*		60	3.567,57	


* Expected longer lead time

LIGHT COLOUR (OPTIONAL)

	ITEM	EX. VAT	INCL. VAT	NOTE
2700 KELVIN	569			Recommended 2700 Kelvin included.
3000 KELVIN	570	135,14		
4000 KELVIN	572	135,14		

EXTRA (OPTIONAL)

	ITEM	EX. VAT	INCL. VAT	NOTE
Wire Kit X-MODEL Cordless	33	37,84		Standard wire 3m




ALWAYS CHOOSE THE BELOW DIMMING OPTIONS

DIMMING OPTIONS (PLEASE CONSULT AN ELECTRICIAN FIRST)

DIMMING	ITEM	EX. VAT	INCL. VAT		EXTRAS	ITEM	EX. VAT	INCL. VAT	NOTE
Touch Dim	42			Button on the fixture - No external dimming possible					
TRIAC*	500XY	202,70		230V Dimming					
DALI*	510	135,14		Low voltage					
PUSH DIM*	515	135,14		230V Dimming					
1-10 Volt*	520	135,14		Low voltage					
Casambi*	525	232,97		Bluetooth Wireless Dimming	Wall Switch	528	135,14		Wall Switch control

* When choosing external dimming the button on the fixture will have no function, except for holding the light source in place

For further informations, please refer to the installation manual and spec sheets.

MATERIAL	TREATMENT	SURFACE	ITEM	EX. VAT	INCL. VAT
COPPER	BRUSHED		80	2.918,92	
COPPER	BROWNE		81	3.027,03	
COPPER	POLISHED		83	3.135,14	
BRASS	BRUSHED		84	2.918,92	
BRASS	BROWNE		85	3.027,03	
BRASS	POLISHED		86	3.135,14	
BRASS	DARK OPAL CHROME*		93	3.135,14	
STAINLESS STEEL	BRUSHED*		89	2.918,92	
STAINLESS STEEL	POLISHED*		90	3.135,14	


* Expected longer lead time

LIGHT COLOUR (OPTIONAL)

	ITEM	EX. VAT	INCL. VAT	NOTE
2700 KELVIN	569			Recommended 2700 Kelvin included.
3000 KELVIN	570	135,14		
4000 KELVIN	572	135,14		

EXTRA (OPTIONAL)

	ITEM	EX. VAT	INCL. VAT	NOTE
Wire Kit Y-MODEL Cordless	32	37,84		Standard wire 3m



ALWAYS CHOOSE THE BELOW DIMMING OPTIONS

DIMMING OPTIONS (PLEASE CONSULT AN ELECTRICIAN FIRST)

DIMMING	ITEM	EX. VAT	INCL. VAT	NOTE	EXTRAS	ITEM	EX. VAT	INCL. VAT	NOTE
Touch Dim	42			Button on the fixture - No external dimming possible					
TRIAC*	500XY	202,70		230V Dimming					
DALI*	510	135,14		Low voltage					
PUSH DIM*	515	135,14		230V Dimming					
1-10 Volt*	520	135,14		Low voltage					
Casambi*	525	232,97		Bluetooth Wireless Dimming	Wall Switch	528	135,14	169	Wall Switch control

* When choosing external dimming the button on the fixture will have no function, except for holding the light source in place

For further informations, please refer to the installation manual and spec sheets.

MATERIAL	TREATMENT	SURFACE	ITEM	LENGTH	EX. VAT	INCL. VAT
COPPER	BRUSHED		W100	100 cm	2.329,73	
			W150	150 cm	2.545,95	
			W200	200 cm	2.762,16	
			W250	250 cm	3.086,49	
			W300	300 cm	3.518,92	
COPPER	BROWNE		W101	100 cm	2.437,84	
			W151	150 cm	2.654,05	
			W201	200 cm	2.870,27	
			W251	250 cm	3.194,59	
			W301	300 cm	3.627,03	
COPPER	POLISHED		W103	100 cm	2.545,95	
			W153	150 cm	2.762,16	
			W203	200 cm	2.978,38	
			W253	250 cm	3.302,70	
			W303	300 cm	3.735,14	
BRASS	BRUSHED		W104	100 cm	2.329,73	
			W154	150 cm	2.545,95	
			W204	200 cm	2.762,16	
			W254	250 cm	3.086,49	
			W304	300 cm	3.518,92	
BRASS	BROWNE		W105	100 cm	2.437,84	
			W155	150 cm	2.654,05	
			W205	200 cm	2.870,27	
			W255	250 cm	3.194,59	
			W305	300 cm	3.627,03	
BRASS	POLISHED		W106	100 cm	2.545,95	
			W156	150 cm	2.762,16	
			W206	200 cm	2.978,38	
			W256	250 cm	3.302,70	
			W306	300 cm	3.735,14	
STEEL	RUSTED		W107	100 cm	2.654,05	
			W157	150 cm	2.870,27	
			W207	200 cm	3.086,49	
			W257	250 cm	3.410,81	
			W307	300 cm	3.843,24	
STAINLESS STEEL	BLACK*		W108	100 cm	2.437,84	
			W158	150 cm	2.654,05	
			W208	200 cm	2.870,27	
			W258	250 cm	3.194,59	
			W308	300 cm	3.627,03	
BRASS	DARK OPAL CHROME		W113	100 cm	2.545,95	
			W163	150 cm	2.762,16	
			W213	200 cm	2.978,38	
			W263	250 cm	3.302,70	
			W313	300 cm	3.735,14	
STAINLESS STEEL	BRUSHED*		W109	100 cm	2.329,73	
			W159	150 cm	2.545,95	
			W209	200 cm	2.762,16	
			W259	250 cm	3.086,49	
			W309	300 cm	3.518,92	
STAINLESS STEEL	POLISHED*		W114	100 cm	2.545,95	
			W164	150 cm	2.762,16	
			W214	200 cm	2.978,38	
			W264	250 cm	3.302,70	
			W314	300 cm	3.735,14	

* Not available in Custom Size

LIGHT COLOUR (OPTIONAL)


	ITEM	EX. VAT	INCL. VAT	NOTE
2700 KELVIN	569			Recommended 2700 Kelvin included.
3000 KELVIN	570	135,14		
4000 KELVIN	572	135,14		

CORD COLOURS (OPTIONAL)

TEXTILE CORD	ITEM	EX. VAT	INCL. VAT	NOTE
GREY	26W	40,54		3m TEXTILE CORD AND EU PLUG
BLACK	27W	40,54		
BROWN	28W	40,54		
COPPER	29W	40,54		

CUSTOM SIZE

Special sizes are available at an additional cost of +10% of the size above the desired length. Please notice availability only on selected materials.



ALWAYS CHOOSE THE BELOW DIMMING OPTIONS

DIMMING OPTIONS (PLEASE CONSULT AN ELECTRICIAN FIRST)

DIMMING	ITEM	EX. VAT	INCL. VAT	NOTE	EXTRAS	ITEM	EX. VAT	INCL. VAT	NOTE
Touch Dim	42			Built into the fixture - no external dimming possible					
TRIAC*	500	202,70		230V Dimming					
DALI*	510	135,14		Low voltage					
PUSH DIM*	515	135,14		230V Dimming					
1-10 Volt*	520	135,14		Low voltage					
Casambi*	525	232,97		Bluetooth Wireless Dimming	Wall Switch	528	135,14		Wall Switch control

* When choosing external dimming the button on the fixture will have no function, except for holding the light source in place

For further informations, please refer to the installation manual and spec sheets.

MATERIAL	TREATMENT	SURFACE	ITEM	LENGTH	EX. VAT	INCL. VAT
COPPER	BRUSHED		WA100	100 cm	2.870,27	
			WA150	150 cm	3.194,59	
			WA200	200 cm	3.518,92	
			WA250	250 cm	3.951,35	
			WA300	300 cm	4.491,89	
COPPER	BROWNE		WA101	100 cm	2.978,38	
			WA151	150 cm	3.302,70	
			WA201	200 cm	3.627,03	
			WA251	250 cm	4.059,46	
			WA301	300 cm	4.600,00	
COPPER	POLISHED		WA103	100 cm	3.086,49	
			WA153	150 cm	3.410,81	
			WA203	200 cm	3.735,14	
			WA253	250 cm	4.167,57	
			WA303	300 cm	4.708,11	
BRASS	BRUSHED		WA104	100 cm	2.870,27	
			WA154	150 cm	3.194,59	
			WA204	200 cm	3.518,92	
			WA254	250 cm	3.951,35	
			WA304	300 cm	4.491,89	
BRASS	BROWNE		WA105	100 cm	2.978,38	
			WA155	150 cm	3.302,70	
			WA205	200 cm	3.627,03	
			WA255	250 cm	4.059,46	
			WA305	300 cm	4.600,00	
BRASS	POLISHED		WA106	100 cm	3.086,49	
			WA156	150 cm	3.410,81	
			WA206	200 cm	3.735,14	
			WA256	250 cm	4.167,57	
			WA306	300 cm	4.708,11	
STEEL	RUSTED		WA107	100 cm	3.194,59	
			WA157	150 cm	3.518,92	
			WA207	200 cm	3.843,24	
			WA257	250 cm	4.275,68	
			WA307	300 cm	4.816,22	
STAINLESS STEEL	BLACK*		WA108	100 cm	2.978,38	
			WA158	150 cm	3.302,70	
			WA208	200 cm	3.627,03	
			WA258	250 cm	4.059,46	
			WA308	300 cm	4.600,00	
STEEL	DARK OPAL CHROME		WA113	100 cm	3.086,49	
			WA163	150 cm	3.410,81	
			WA213	200 cm	3.735,14	
			WA263	250 cm	4.167,57	
			WA313	300 cm	4.708,11	
STAINLESS STEEL	BRUSHED*		WA109	100 cm	2.870,27	
			WA159	150 cm	3.194,59	
			WA209	200 cm	3.518,92	
			WA259	250 cm	3.951,35	
			WA309	300 cm	4.491,89	
STAINLESS STEEL	POLISHED*		WA114	100 cm	3.086,49	
			WA164	150 cm	3.410,81	
			WA214	200 cm	3.735,14	
			WA264	250 cm	4.167,57	
			WA314	300 cm	4.708,11	

* Not available in Custom Size

LIGHT COLOUR (OPTIONAL)


	ITEM	EX. VAT	INCL. VAT	NOTE
2700 KELVIN	569			Recommended 2700 Kelvin included.
3000 KELVIN	570	135,14		
4000 KELVIN	572	135,14		

CORD COLOURS (OPTIONAL)

TEXTILE CORD	ITEM	EX. VAT	INCL. VAT	NOTE
GREY	26WA	40,54		3m TEXTILE CORD AND EU PLUG
BLACK	27WA	40,54		
BROWN	28WA	40,54		
COPPER	29WA	40,54		

CUSTOM SIZE

Special sizes are available at an additional cost of +10% of the size above the desired length. Please notice availability only on selected materials.



ALWAYS CHOOSE THE BELOW DIMMING OPTIONS

EXTERNAL DIMMING OPTIONS (PLEASE CONSULT AN ELECTRICIAN FIRST)

DIMMING	ITEM	EX. VAT	INCL. VAT	NOTE	EXTRAS	ITEM	EX. VAT	INCL. VAT	NOTE
TRIAC	500WA	202,70		230V Dimming - Driver externally	Wall Switch	528	135,14		Wall Switch control
DALI	510WA	135,14		Low voltage - Driver externally					
PUSH DIM	515WA	135,14		230V Dimming - Driver externally					
1-10 Volt	520WA	135,14		Low voltage - Driver externally					
Casambi	525WA	232,97		Bluetooth Wireless Dimming - Driver externally					

DIVAR 2.0

Polished aluminium wall bracket

EUR PRICE LIST 2025

Approx. Lead Time: 10 Weeks

For further informations, please refer to the installation manual and spec sheets.

MATERIAL	TREATMENT	SURFACE	ITEM	LENGTH	EX. VAT	INCL. VAT
COPPER	BRUSHED		DN50	50 cm	816,22	
			DN100	100 cm	924,32	
			DN150	150 cm	1.140,54	
			DN200	200 cm	1.248,65	
COPPER	BROWNE		DN51	50 cm	924,32	
			DN101	100 cm	1.032,43	
			DN151	150 cm	1.248,65	
			DN201	200 cm	1.356,76	
COPPER	POLISHED		DN53	50 cm	1.032,43	
			DN103	100 cm	1.140,54	
			DN153	150 cm	1.356,76	
			DN203	200 cm	1.464,86	
BRASS	BRUSHED		DN54	50 cm	816,22	
			DN104	100 cm	924,32	
			DN154	150 cm	1.140,54	
			DN204	200 cm	1.248,65	
BRASS	BROWNE		DN55	50 cm	924,32	
			DN105	100 cm	1.032,43	
			DN155	150 cm	1.248,65	
			DN205	200 cm	1.356,76	
BRASS	POLISHED		DN56	50 cm	1.032,43	
			DN106	100 cm	1.140,54	
			DN156	150 cm	1.356,76	
			DN206	200 cm	1.464,86	
STEEL	RUSTED		DN57	50 cm	1.140,54	
			DN107	100 cm	1.248,65	
			DN157	150 cm	1.464,86	
			DN207	200 cm	1.572,97	
STEEL	BLACK		DN58	50 cm	924,32	
			DN108	100 cm	1.032,43	
			DN158	150 cm	1.248,65	
			DN208	200 cm	1.356,76	
STEEL	DARK OPAL CHROME		DN63	50 cm	1.032,43	
			DN113	100 cm	1.140,54	
			DN163	150 cm	1.356,76	
			DN213	200 cm	1.464,86	
STAINLESS STEEL	BRUSHED		DN59	50 cm	816,22	
			DN109	100 cm	924,32	
			DN159	150 cm	1.140,54	
			DN209	200 cm	1.248,65	
STAINLESS STEEL	POLISHED		DN64	50 cm	1.032,43	
			DN114	100 cm	1.140,54	
			DN164	150 cm	1.356,76	
			DN214	200 cm	1.464,86	
MARBLE	CARRARA		DN110	100 cm	1.140,54	
			DN160	150 cm	1.248,65	

LIGHT COLOUR (OPTIONAL)

	ITEM	EX. VAT	INCL. VAT	NOTE
2700 KELVIN	569DN			Recommended 2700 Kelvin included.
3000 KELVIN	570DN	135,14		
4000 KELVIN	572DN	135,14		

ALWAYS CHOOSE THE BELOW DIMMING OPTIONS

DIMMING OPTIONS (PLEASE CONSULT AN ELECTRICIAN FIRST)

DIMMING	ITEM	EX. VAT	INCL. VAT	NOTE
Touch Dim	42DN	37,84		Built-in on the lamp
TRIAC	500DN	-		230V Dimming - included as standard
DALI	510DN	135,14		Low voltage
Casambi	525DN	232,97		Bluetooth Wireless
Wall Switch	528	135,14		Wall Switch control

CORD COLOURS (OPTIONAL)

TEXTILE CORD	ITEM	EX. VAT	INCL. VAT	NOTE
GREY	26DN	40,54		3m TEXTILE CORD AND EU PLUG
BLACK	27DN	40,54		
BROWN	28DN	40,54		
COPPER	29DN	40,54		

CUSTOM SIZE

On request only



150 - 200 cm



100 cm



50 cm

For further informations, please refer to the installation manual and spec sheets.

MATERIAL	TREATMENT	SURFACE	ITEM	LENGTH	EX. VAT	INCL. VAT
COPPER	BRUSHED		D50	50 cm	816,22	
			D100	100 cm	924,32	
			D150	150 cm	1.140,54	
			D200	200 cm	1.248,65	
			D250	250 cm	1.416,22	
			D300	300 cm	1.681,08	
COPPER	BROWNE		D51	50 cm	924,32	
			D101	100 cm	1.032,43	
			D151	150 cm	1.248,65	
			D201	200 cm	1.356,76	
			D251	250 cm	1.572,97	
			D301	300 cm	1.789,19	
COPPER	POLISHED		D53	50 cm	1.032,43	
			D103	100 cm	1.140,54	
			D153	150 cm	1.356,76	
			D203	200 cm	1.464,86	
			D253	250 cm	1.681,08	
			D303	300 cm	1.897,30	
BRASS	BRUSHED		D54	50 cm	816,22	
			D104	100 cm	924,32	
			D154	150 cm	1.140,54	
			D204	200 cm	1.248,65	
			D254	250 cm	1.416,22	
			D304	300 cm	1.681,08	
BRASS	BROWNE		D55	50 cm	924,32	
			D105	100 cm	1.032,43	
			D155	150 cm	1.248,65	
			D205	200 cm	1.356,76	
			D255	250 cm	1.572,97	
			D305	300 cm	1.789,19	
BRASS	POLISHED		D56	50 cm	1.032,43	
			D106	100 cm	1.140,54	
			D156	150 cm	1.356,76	
			D206	200 cm	1.464,86	
			D256	250 cm	1.681,08	
			D306	300 cm	1.897,30	
STEEL	RUSTED		D57	50 cm	1.140,54	
			D107	100 cm	1.248,65	
			D157	150 cm	1.464,86	
			D207	200 cm	1.572,97	
			D257	250 cm	1.789,19	
			D307	300 cm	2.005,41	
STEEL	BLACK*		D58	50 cm	924,32	
			D108	100 cm	1.032,43	
			D158	150 cm	1.248,65	
			D208	200 cm	1.356,76	
			D258	250 cm	1.572,97	
			D308	300 cm	1.789,19	
STEEL	DARK OPAL CHROME		D63	50 cm	1.032,43	
			D113	100 cm	1.140,54	
			D163	150 cm	1.356,76	
			D213	200 cm	1.464,86	
			D263	250 cm	1.681,08	
			D313	300 cm	1.897,30	
STAINLESS STEEL	BRUSHED*		D59	50 cm	816,22	
			D109	100 cm	924,32	
			D159	150 cm	1.140,54	
			D209	200 cm	1.248,65	
			D259	250 cm	1.416,22	
			D309	300 cm	1.681,08	
STAINLESS STEEL	POLISHED*		D64	50 cm	1.032,43	
			D114	100 cm	1.140,54	
			D164	150 cm	1.356,76	
			D214	200 cm	1.464,86	
			D264	250 cm	1.681,08	
			D314	300 cm	1.897,30	
MARBLE	CARRARA*		D110	100 cm	1.140,54	
			D160	150 cm	1.248,65	

* Not available in Custom Size

LIGHT COLOUR (OPTIONAL)

	ITEM	EX. VAT	INCL. VAT	NOTE
2700 KELVIN	569D		-	Recommended 2700 Kelvin included.
3000 KELVIN	570D	135,14	169	
4000 KELVIN	572D	135,14	169	

ALWAYS CHOOSE THE BELOW DIMMING OPTIONS

DIMMING OPTIONS (PLEASE CONSULT AN ELECTRICIAN FIRST)


DIMMING	ITEM	EX. VAT	INCL. VAT	NOTE
Touch Dim	42D			Built-in on the lamp
TRIAC	500D	202,70		230V Dimming
DALI	510D	135,14		Low voltage
PUSH DIM	515D	135,14		230V Dimming
1-10 Volt	520D	135,14		Low voltage
Casambi	525D	232,97		Bluetooth Wireless
Wall Switch	528	135,14		Wall Switch control

EXTRA (OPTIONAL - only for the version with the built in dimmer)

PLUG ADAPTOR	ITEM	EX. VAT	INCL. VAT	NOTE
EU	7			EU plug adaptor included
UK	8	27,03		
US	9	27,03		

CUSTOM SIZE


Special sizes are available at an additional cost of +10% of the size above the desired length. Please notice availability only on selected materials.



PAPILIO SINGLE

For further informations, please refer to the installation manual and spec sheets.


MATERIAL	TREATMENT	SURFACE	ITEM	EX. VAT	INCL. VAT
BRASS	BRUSHED		PS54	708,11	
BRASS	BROWNED		PS55	762,16	
BRASS	DARK OPAL		PS63	816,22	
STAINLESS STEEL	BRUSHED		PS59	708,11	



PAPILIO DOUBLE

For further informations, please refer to the installation manual and spec sheets.

MATERIAL	TREATMENT	SURFACE	ITEM	EX. VAT	INCL. VAT
BRASS	BRUSHED		PD54	1.356,76	
BRASS	BROWNED		PD55	1.464,86	
BRASS	DARK OPAL CHROME		PD63	1.572,97	
STAINLESS STEEL	BRUSHED		PD59	1.356,76	



EUR PRICE LIST 2025

Approx. Lead Time: 10 Weeks

LIGHT COLOUR (OPTIONAL)

	ITEM	EX. VAT	INCL. VAT	NOTE
2700 KELVIN	569			Recommended 2700 Kelvin included.
3000 KELVIN	570	135,14		
4000 KELVIN	572	135,14		

ALWAYS CHOOSE THE BELOW DIMMING OPTIONS

EXTERNAL DIMMING OPTIONS (PLEASE CONSULT AN ELECTRICIAN FIRST)

DIMMING	ITEM	EX. VAT	INCL. VAT	NOTE
TRIAC	500PS			230V Dimming - Included as standard
DALI	510PS	135,14		Low voltage
PUSH DIM	515PS	135,14		230V Dimming
Casambi	525PS	232,97		Bluetooth Wireless
Casambi Switch	528PS	135,14		Wall Switch control

CORD (OPTIONAL)

TEXTILE CORD	ITEM	EX. VAT	INCL. VAT	NOTE
GREY	26P	40,54		3m TEXTILE CORD AND EU PLUG
BLACK	27P	40,54		
BROWN	28P	40,54		
COPPER	29P	40,54		

LIGHT COLOUR (OPTIONAL)

Approx. Lead Time: 10 Weeks

	ITEM	EX. VAT	INCL. VAT	NOTE
2700 KELVIN	569			Recommended 2700 Kelvin included.
3000 KELVIN	570	135,14		
4000 KELVIN	572	135,14		

ALWAYS CHOOSE THE BELOW DIMMING OPTIONS

EXTERNAL DIMMING OPTIONS (PLEASE CONSULT AN ELECTRICIAN FIRST)

DIMMING	ITEM	EX. VAT	INCL. VAT	NOTE
TRIAC	500PD			230V Dimming - Included as standard
DALI	510PD	135,14		Low voltage
PUSH DIM	515PD	135,14		230V Dimming
Casambi	525PD	232,97		Bluetooth Wireless
Casambi Switch	528PD	135,14		Wall Switch control

CORD (OPTIONAL)

TEXTILE CORD	ITEM	EX. VAT	INCL. VAT	NOTE
GREY	26P	40,54		3m TEXTILE CORD AND EU PLUG
BLACK	27P	40,54		
BROWN	28P	40,54		
COPPER	29P	40,54		

DONYA PIVOT WALL

GU10 (max. 6 Watt) bulb is not included.


For further informations, please refer to the installation manual and spec sheets.

EUR PRICE LIST 2025

Approx. Lead Time: 10 Weeks

SELECT MATERIAL & SURFACE


MATERIAL	TREATMENT	SURFACE	ITEM	EX. VAT	INCL. VAT
BRASS	BRUSHED		DOB504	356,76	
BRASS	BROWNED		DOB505	443,24	
BRASS	POLISHED		DOB506	529,73	
BRASS	DARK OPAL		DOB513	529,73	
STAINLESS STEEL	BRUSHED		DOB509	356,76	
STAINLESS STEEL	POLISHED		DOB514	529,73	




SELECT DONYA SHADE

MODEL	MATERIAL	COLOUR	ITEM	EX. VAT	INCL. VAT
REFLECTOR	BRASS	BRUSHED	DOS04	addition to DOB504	
		BROWNED	DOS05	addition to DOB505	
		POLISHED	DOS06	addition to DOB506	
		DARK OPAL	DOS07	addition to DOB513	
	STAINLESS STEEL	BRUSHED	DOS09	addition to DOB509	
		POLISHED	DOS14	addition to DOB514	
CYLINDER	ONYX	WHITE	DOS10	118,92	
		AMBER	DOS30	118,92	

Onyx Stone Shades are made by hand. Every piece is unique.




PIVOT WALL - REFLECTOR




PIVOT WALL - CYLINDER ONYX

BUTTON (OPTIONAL)

BUTTON	ITEM	EX. VAT	INCL. VAT	NOTE
ON/OFF	25	40,54		ON/OFF BUTTON



PIVOT WALL - ON/OFF




PIVOT WALL - ON/OFF - INCL. CORD

CORD (OPTIONAL)

TEXTILE CORD	ITEM	EX. VAT	INCL. VAT	NOTE
BLACK	24	40,54		1,6m TEXTILE CORD incl EU-PLUG

BACKPLATE (OPTIONAL)

MATERIAL	ITEM	EX. VAT	INCL. VAT	NOTE
BRUSHED BRASS	14B	43,24		ø10cm
BROWNED BRASS	15B	54,05		ø10cm
POLISHED BRASS	16B	64,86		ø10cm
DARK OPAL CHROME	23B	64,86		ø10cm
BRUSHED STAINLESS	19B	43,24		ø10cm
POLISHED STAINLESS	24B	64,86		ø10cm



PIVOT WALL - ON/OFF - INCL. BACKPLATE



PIVOT WALL - ON/OFF - INCL. BACKPLATE & CORD

ANOUR's products are handcrafted by our braziers in Denmark. All products are unique and can vary in the surface as well as patinate. Reservations are made for printing/typing errors


DONYA PIVOT CEILING

GU10 (max. 6 Watt) bulb is not included.

For further informations, please refer to the installation manual and spec sheets.

EUR PRICE LIST 2025

Approx. Lead Time: 10 Weeks

MATERIAL	TREATMENT	SURFACE	ITEM	EX. VAT	INCL. VAT
BRASS	BRUSHED		DOB604	356,76	
BRASS	BROWNED		DOB605	443,24	
BRASS	POLISHED		DOB606	529,73	
BRASS	DARK OPAL		DOB613	529,73	
STAINLESS STEEL	BRUSHED		DOB609	356,76	
STAINLESS STEEL	POLISHED		DOB614	529,73	



SELECT DONYA SHADE

MODEL	MATERIAL	COLOUR	ITEM	EX. VAT	INCL. VAT
REFLECTOR	BRASS	BRUSHED	DOS04	addition to DOB604	
		BROWNED	DOS05	addition to DOB605	
		POLISHED	DOS06	addition to DOB606	
		DARK OPAL	DOS07	addition to DOB613	
	STAINLESS STEEL	BRUSHED	DOS09	addition to DOB609	
		POLISHED	DOS14	addition to DOB614	
CYLINDER	ONYX	WHITE	DOS10	118,92	
		AMBER	DOS30	118,92	


Onyx Stone Shades are made by hand. Every piece is unique.

BACKPLATE (OPTIONAL)


MATERIAL	ITEM	EX. VAT	INCL. VAT	NOTE
BRUSHED BRASS	14B	43,24		ø10cm
BROWNED BRASS	15B	54,05		ø10cm
POLISHED BRASS	16B	64,86		ø10cm
DARK OPAL CHROME	23B	64,86		ø10cm
BRUSHED STAINLESS	19B	43,24		ø10cm
POLISHED STAINLESS	24B	64,86		ø10cm




PIVOT CEILING - REFLECTOR



PIVOT CEILING - ONYX CYLINDER



PIVOT CEILING - BACKPLATE



PIVOT CEILING - BACKPLATE - CYLINDER

ANOUR's products are handcrafted by our braziers in Denmark. All products are unique and can vary in the surface as well as patinate. Reservations are made for printing/typing errors

DONYA PIVOT DROPPED CEILING

GU10 (max. 6 Watt) bulb is not included.

For further informations, please refer to the installation manual and spec sheets.

EUR PRICE LIST 2025



Approx. Lead Time: 10 Weeks

MATERIAL	TREATMENT	SURFACE	ITEM	EX. VAT	INCL. VAT
BRASS	BRUSHED		DOB704	324,32	
BRASS	BROWNED		DOB705	410,81	
BRASS	POLISHED		DOB706	497,30	
BRASS	DARK OPAL		DOB713	497,30	
STAINLESS STEEL	BRUSHED		DOB709	324,32	
STAINLESS STEEL	POLISHED		DOB714	410,81	



SELECT DONYA SHADE

MODEL	MATERIAL	COLOUR	ITEM	EX. VAT	INCL. VAT
REFLECTOR	BRASS	BRUSHED	DOS04	addition to DOB704	
		BROWNED	DOS05	addition to DOB705	
		POLISHED	DOS06	addition to DOB706	
		DARK OPAL	DOS07	addition to DOB713	
	STAINLESS STEEL	BRUSHED	DOS09	addition to DOB709	
		POLISHED	DOS14	addition to DOB714	
CYLINDER	ONYX	WHITE	DOS10	118,92	
		AMBER	DOS30	118,92	

Onyx Stone Shades are made by hand. Every piece is unique.



PIVOT DROPPED CEILING - REFLECTOR



PIVOT DROPPED CEILING - CYLINDER

DONYA CEILING SPOT (INCL. ONYX & SPHERE)


GU10 (max. 6 Watt) bulb is not included.

For further informations, please refer to the installation manual and spec sheets.

EUR PRICE LIST 2025

Approx. Lead Time: 10 Weeks

MATERIAL	TREATMENT	SURFACE	ITEM	EX. VAT	INCL. VAT
COPPER	BRUSHED		DOB400	264,86	
COPPER	BROWNE		DOB401	351,35	
COPPER	POLISHED		DOB403	437,84	
BRASS	BRUSHED		DOB404	264,86	
BRASS	BROWNE		DOB405	351,35	
BRASS	POLISHED		DOB406	437,84	
STAINLESS STEEL	BRUSHED		DOB409	264,86	
STAINLESS STEEL	POLISHED		DOB414	437,84	
STAINLESS STEEL	GOLD		DOB410	264,86	
STAINLESS STEEL	BLACK		DOB420	264,86	
BRASS	DARK OPAL		DOB413	437,84	



SELECT DONYA SHADE


MODEL	MATERIAL	COLOUR	ITEM	EX. VAT	INCL. VAT
REFLECTOR	COPPER	BRUSHED	DOS00	addition to DOB400	
		BROWNE	DOS01	addition to DOB401	
		POLISHED	DOS03	addition to DOB403	
	BRASS	BRUSHED	DOS04	addition to DOB404	
		BROWNE	DOS05	addition to DOB405	
		POLISHED	DOS06	addition to DOB406	
		DARK OPAL	DOS07	addition to DOB413	
	STAINLESS STEEL	BRUSHED	DOS09	addition to DOB409	
		POLISHED	DOS14	addition to DOB414	
		GOLD	DOS40	addition to DOB410	
		BLACK	DOS08	addition to DOB420	
	SPHERE	OPAL GLAS	WHITE	108,11	
CYLINDER	ONYX	WHITE	DOS10	118,92	
		AMBER	DOS30	118,92	
MOON	ONYX	WHITE	DOS11	183,78	
		AMBER	DOS31	183,78	
TRAPEZE	STONE	WHITE	DOS12	183,78	
		MIX	DOS22	183,78	
		AMBER	DOS32	183,78	
		WHITE	DOS13	270,27	
SOLAR	STONE	MIX	DOS23	270,27	
		AMBER	DOS33	270,27	

Onyx Stone Shades are made by hand. Every piece is unique.


SPHERE




CYLINDER




TRAPEZE



MOON



SOLAR




DONYA PENDANT (INCL. ONYX & SPHERE)

Standard: Supplied with black textile cord
GU10 (max. 6 Watt) bulb is not included.
For further informations, please refer to the installation manual and spec sheets.

EUR PRICE LIST 2025
Approx. Lead Time: 10 Weeks


MATERIAL	TREATMENT	SURFACE	ITEM	EX. VAT	INCL. VAT
COPPER	BRUSHED		DOB200	264,86	
COPPER	BROWNED		DOB201	351,35	
COPPER	POLISHED		DOB203	437,84	
BRASS	BRUSHED		DOB204	264,86	
BRASS	BROWNED		DOB205	351,35	
BRASS	POLISHED		DOB206	437,84	
STAINLESS STEEL	BRUSHED		DOB209	264,86	
STAINLESS STEEL	POLISHED		DOB214	437,84	
STAINLESS STEEL	GOLD		DOB210	264,86	
STAINLESS STEEL	BLACK		DOB220	264,86	
BRASS	DARK OPAL		DOB213	437,84	




SELECT DONYA SHADE

MODEL	MATERIAL	COLOUR	ITEM	EX. VAT	INCL. VAT
REFLECTOR	COPPER	BRUSHED	DOS00	addition to DOB200	
		BROWNED	DOS01	addition to DOB201	
		POLISHED	DOS03	addition to DOB203	
	BRASS	BRUSHED	DOS04	addition to DOB204	
		BROWNED	DOS05	addition to DOB205	
		POLISHED	DOS06	addition to DOB206	
	STAINLESS STEEL	DARK OPAL	DOS13	addition to DOB213	
		BRUSHED	DOS09	addition to DOB209	
		POLISHED	DOS14	addition to DOB214	
		GOLD	DOS40	addition to DOB210	
		BLACK	DOS08	addition to DOB220	
SPHERE	OPAL GLAS	WHITE	DOS1	108,11	
CYLINDER	ONYX	WHITE	DOS10	118,92	
		AMBER	DOS30	118,92	
MOON	ONYX	WHITE	DOS11	183,78	
		AMBER	DOS31	183,78	
TRAPEZE	STONE	WHITE	DOS12	183,78	
		MIX	DOS22	183,78	
		AMBER	DOS32	183,78	
SOLAR	STONE	WHITE	DOS13	270,27	
		MIX	DOS23	270,27	
		AMBER	DOS33	270,27	

Onyx Stone Shades are made by hand. Every piece is unique.




MOON




TRAPEZE



CYLINDER



SOLAR




SPHERE

EXTRA (OPTIONAL)

ROSETTE	SURFACE	ITEM	EX. VAT	INCL. VAT	NOTE
COPPER	BRUSHED	10R	162,16		ø60mm
		10RB	194,59		ø100mm with backplate
COPPER	BROWNED	11R	216,22		ø60mm
		11RB	237,84		ø100mm with backplate
BRASS	BRUSHED	14R	162,16		ø60mm
		14RB	194,59		ø100mm with backplate
BRASS	BROWNED	15R	216,22		ø60mm
		15RB	237,84		ø100mm with backplate
STAINLESS STEEL	BRUSHED	19R	162,16		ø60mm
		19RB	194,59		ø100mm with backplate



ROSETTE ø60mm



ROSETTE WITH BACKPLATE
ø100mm

ANOUR


DONYA WALL



Standard: GU10 (max. 6 Watt) bulb is not included.

For further informations, please refer to the installation manual and spec sheets.

EUR PRICE LIST 2025

Approx. Lead Time: 10 Weeks

MATERIAL	TREATMENT	SURFACE	ITEM	EX. VAT	INCL. VAT
COPPER	BRUSHED		DOB300	372,97	
COPPER	BROWNE		DOB301	459,46	
COPPER	POLISHED		DOB303	545,95	
BRASS	BRUSHED		DOB304	372,97	
BRASS	BROWNE		DOB305	459,46	
BRASS	POLISHED		DOB306	545,95	
STAINLESS STEEL	BRUSHED		DOB309	372,97	
STAINLESS STEEL	POLISHED		DOB314	545,95	
STAINLESS STEEL	GOLD		DOB310	372,97	
STAINLESS STEEL	BLACK		DOB320	372,97	
BRASS	DARK OPAL		DOB313	545,95	



CORD (OPTIONAL)

TEXTILE CORD	ITEM	EX. VAT	INCL. VAT	NOTE
BLACK	23	40,54		1,6m TEXTILE CORD with ON/OFF SWITCH - EU PLUG

ANOUR's products are handcrafted by our braziers in Denmark. All products are unique and can vary in the surface as well as patinate. Reservations are made for printing/typing errors

PAGE: 17

DONYA TABLE

Standard: GU10 (max. 6 Watt) bulb is not included.

For further informations, please refer to the installation manual and spec sheets.



EUR PRICE LIST 2025

Approx. Lead Time: 10 Weeks

MATERIAL	TREATMENT	SURFACE	ITEM	EX. VAT	INCL. VAT
COPPER	BRUSHED		DOB100	372,97	
COPPER	BROWNE		DOB101	459,46	
COPPER	POLISHED		DOB103	545,95	
BRASS	BRUSHED		DOB104	372,97	
BRASS	BROWNE		DOB105	459,46	
BRASS	POLISHED		DOB106	545,95	
STAINLESS STEEL	BRUSHED		DOB109	372,97	
STAINLESS STEEL	POLISHED		DOB114	545,95	
STAINLESS STEEL	GOLD		DOB110	372,97	
STAINLESS STEEL	BLACK		DOB120	372,97	
BRASS	DARK OPAL		DOB113	545,95	

CORD (OPTIONAL)

TEXTILE CORD	ITEM	EX. VAT	INCL. VAT	NOTE
BLACK	23	40,54		1,6m TEXTILE CORD with ON/OFF SWITCH - EU PLUG



T-MODEL

Standard: Built-in Dimmer

For further informations, please refer to the installation manual and spec sheets.

EUR PRICE LIST 2025

Approx. Lead Time: 10 Weeks


MATERIAL	TREATMENT	SURFACE	ITEM	EX. VAT	INCL. VAT
BRASS	BRUSHED		94	1.248,65	
BRASS	BROWNE		95	1.356,76	
BRASS	POLISHED		96	1.464,86	

LIGHT COLOUR (OPTIONAL)

	ITEM	EX. VAT	INCL. VAT	NOTE
2700 KELVIN	569			Recommended 2700 Kelvin included.
3000 KELVIN	570	135,14		
4000 KELVIN	572	135,14		

EXTRA (OPTIONAL)

PLUG ADAPTOR	ITEM	EX. VAT	INCL. VAT	NOTE
EU	7			EU plug adaptor included
UK	8	27,03		
US	9	27,03		




F-MODEL

Standard: Built-in Touch Dimmer

For further informations, please refer to the installation manual and spec sheets.

EUR PRICE LIST 2025

Approx. Lead Time: 10 Weeks


MATERIAL	TREATMENT	SURFACE	ITEM	EX. VAT	INCL. VAT
COPPER	BRUSHED		FL150	1.572,97	
COPPER	BROWNE		FL151	1.681,08	
COPPER	POLISHED		FL153	1.789,19	
BRASS	BRUSHED		FL154	1.572,97	
BRASS	BROWNE		FL155	1.681,08	
BRASS	POLISHED		FL156	1.789,19	
STEEL	RUSTED		FL157	1.897,30	
STAINLESS STEEL	BLACK		FL158	1.681,08	
STEEL	DARK OPAL CHROME		FL163	1.789,19	
STAINLESS STEEL	BRUSHED		FL159	1.572,97	
STAINLESS STEEL	POLISHED		FL164	1.789,19	
MARBLE	CARRARA		FL160	1.681,08	

LIGHT COLOUR (OPTIONAL)

	ITEM	EX. VAT	INCL. VAT	NOTE
2700 KELVIN	569			Recommended 2700 Kelvin included.
3000 KELVIN	570	135,14		
4000 KELVIN	572	135,14		

EXTRA (OPTIONAL)

PLUG ADAPTOR	ITEM	EX. VAT	INCL. VAT	NOTE
EU	7			EU plug adaptor included
UK	8	27,03		
US	9	27,03		



For further informations, please refer to the installation manual and spec sheets.

MATERIAL	TREATMENT	SURFACE	ITEM	LENGTH	EX. VAT	INCL. VAT
BRASS	BRUSHED		PAW054	42 cm	1.486,50	
			PAW104	94 cm	2.243,20	
BRASS	BROWNE		PAW055	42 cm	1.621,60	
			PAW105	94 cm	2.378,40	
STAINLESS STEEL	BRUSHED		PAW059	42 cm	1.486,50	
			PAW109	94 cm	2.243,20	

ALWAYS CHOOSE THE BELOW DIMMING OPTIONS

DIMMING OPTIONS (PLEASE CONSULT AN ELECTRICIAN FIRST)

DIMMING	ITEM	EX. VAT	INCL. VAT	NOTE
TRIAC	500PW	-		230V Dimming included as standard
DALI	510PW	135,14		Low voltage
Casambi	525PW	232,97		Bluetooth Wireless
Wall Switch	528PW	135,14		Wall Switch control

SELECT ONYX COLOUR




ONYX	ITEM	NOTE
WHITE	POS21	2x20cm ONYX FOR SIZE 42cm ONLY
MIX	POS22	
AMBER	POS23	
WHITE	POS31	3x30cm ONYX FOR SIZE 94cm ONLY
MIX	POS32	
AMBER	POS33	

CORD COLOURS (OPTIONAL)

TEXTILE CORD	ITEM	EX. VAT	INCL. VAT	NOTE
GREY	26	40,54		3m TEXTILE CORD AND EU PLUG
BLACK	27	40,54		
BROWN	28	40,54		
COPPER	29	40,54		

CUSTOM SIZE

On request only



For further informations, please refer to the installation manual and spec sheets.

MATERIAL	TREATMENT	SURFACE	ITEM	LENGTH	EX. VAT	INCL. VAT
BRASS	BRUSHED		PAH104	94 cm	2.702,70	
BRASS	BROWNED		PAH105	94 cm	2.810,80	
STAINLESS STEEL	BRUSHED		PAH109	94 cm	2.702,70	

ALWAYS CHOOSE THE BELOW DIMMING OPTIONS

DIMMING OPTIONS (PLEASE CONSULT AN ELECTRICIAN FIRST)

DIMMING	ITEM	EX. VAT	INCL. VAT	NOTE
TRIAC	500PH	-		230V Dimming included as standard
DALI	510PH	135,14		Low voltage
Casambi	525PH	232,97		Bluetooth Wireless
Wall Switch	528PH	135,14		Wall Switch control

SELECT ONYX COLOUR



ONYX	ITEM	NOTE
WHITE	POS31	3x30cm ONYX FOR SIZE 94cm
MIX	POS32	
AMBER	POS33	

SELECT INSTALLATION

	ITEM	EX. VAT	INCL. VAT	NOTE
VISIBLE DRIVER BOX	40PH			SAME MATERIAL
DROPPED CEILING INSTALLATION	37PH	37,84		insulated cord 4m + metal wires 4m

CUSTOM SIZE

On request only



For further informations, please refer to the installation manual and spec sheets.

MATERIAL	TREATMENT	SURFACE	ITEM	CLUSTER	EX. VAT	INCL. VAT
BRASS	BRUSHED		PAPC204	2PCS	2.243,20	
			PAPC304	3PCS	3.054,10	
			PAPC205	2PCS	2.378,40	
BRASS	BROWNE		PAPC305	3PCS	3.189,20	
			PAPC209	2PCS	2.243,20	
STAINLESS STEEL	BRUSHED		PAPC309	3PCS	3.054,10	

ALWAYS CHOOSE THE BELOW DIMMING OPTIONS



DIMMING OPTIONS (PLEASE CONSULT AN ELECTRICIAN FIRST)

DIMMING	ITEM	EX. VAT	INCL. VAT	NOTE
TRIAC	500PP	-		230V Dimming included as standard
DALI	510PP	135,14		Low voltage
Casambi	525PP	232,97		Bluetooth Wireless
Wall Switch	528PP	135,14		Wall Switch control

SELECT ONYX COLOUR

ONYX	ITEM	NOTE
WHITE	POS21	20cm ONYX
MIX	POS22	
AMBER	POS23	
WHITE	POS31	30cm ONYX
MIX	POS32	
AMBER	POS33	

CUSTOM CONFIGURATION
On request only



For further informations, please refer to the installation manual and spec sheets.

MATERIAL	TREATMENT	SURFACE	ITEM	DIAMETER	EX. VAT	INCL. VAT
BRASS	BRUSHED		PAC104	100 cm	13.513,50	
BRASS	BROWNED		PAC105	100 cm	14.864,90	
STAINLESS STEEL	BRUSHED		PAC109	100 cm	13.513,50	

ALWAYS CHOOSE THE BELOW DIMMING OPTIONS

DIMMING OPTIONS (PLEASE CONSULT AN ELECTRICIAN FIRST)

DIMMING	ITEM	EX. VAT	INCL. VAT	NOTE
TRIAC	500PC	-		230V Dimming included as standard
DALI	510PC	1.000,00		Low voltage
Casambi	525PC	1.724,00		Bluetooth Wireless
Wall Switch	528PC	1.000,00		Wall Switch control

SELECT ONYX COLOUR

ONYX	ITEM	NOTE
WHITE	POS11	9x (2x10cm) ONYX FOR SIZE 100cm
MIX	POS12	
AMBER	POS13	

CUSTOM SIZE

On request only

