TONONE



TONONE



We are proud to present our new catalog. The cover features BOLT10 Desk in Burgundy Red, a warm, bold shade that emphasizes its character. Inside, you will discover our latest collection RAZOR, additional colors across existing collections and a fresh series of images.

Our tenth anniversary inspired BOLT10, a refined evolution of the original BOLT, the design that started it all. Its familiar industrial character remains, while the construction is lighter, smarter and more flexible. With integrated LED lighting, a rotating shade and, of course, the signature brass wingnut, BOLT10 stays true to our design philosophy: functional, bold and assembled by hand.

RAZOR features curved glass in a range of textures. Each texture gives the lamp its own appearance and shapes how light is diffused and reflected. Bending and working the glass requires precision and craftsmanship. This attention to material and construction is at the heart of every Tonone design.

We also continue to expand our existing collections. This edition includes additional colors for ONE and Bridge, alongside new images showing how color, material and form can change the atmosphere of an interior.

We hope this catalog sparks new ideas and inspires you to explore the collection for your own space or project.

With love,


Anton




Anton de Groof


TONONE


TABLE OF CONTENTS




BOLT10
8




RAZOR
18




BRIDGE
28




ONE
34



BELLA
46



BOLT
54



BEADS
80



MR. TUBES
92



ATLAS
104



ELLA
110

SPECIFICATIONS
116



BOLT10



To celebrate Tonone's 10th anniversary, we introduced the Bolt10: an updated version of the iconic Bolt that started it all. The design keeps its industrial character, with a lighter construction and more freedom to adjust the light.

The Bolt10 combines an integrated LED light source, a shade you can rotate and the signature brass wingnut. This makes it easy to direct the light where you need it. You can dim the light for reading, working or a cosy atmosphere.

Available as a wall, floor and desk lamp in Shadow Black, Misty White, Burgundy Red and Clay Brown.





DESK

Design by Anton de Groof 2025

Material	Aluminum & steel
Description	The Bolt10 preserves the industrial character of the original Bolt in a slimmer, refined design with integrated LED technology. Its adjustable shade and signature brass wingnut provide maximum flexibility and precise light control.
Volt	220–240 V | 4 Watt
Light source	Integrated dimmable led
Led color	2700K
CRI	90
Colors	


More specifications on pages 116 – 141


desk (with black cords)



desk (with orange cords)







320-degree rotating shade



FLOOR

Design by Anton de Groof 2025

Material	Aluminum & steel
Description	The Bolt10 preserves the industrial character of the original Bolt in a slimmer, refined design with integrated LED technology. Its adjustable shade and signature brass wingnut provide maximum flexibility and precise light control.
Volt	220–240 V | 4 Watt
Light source	Integrated dimmable led
Led color	2700K
CRI	90
Colors	


More specifications on pages 116 – 141


floor (with black cords)



floor (with orange cords)







320-degree rotating shade



WALL

Design by Anton de Groof 2025

Material	Aluminum & steel
Description	The Bolt10 preserves the industrial character of the original Bolt in a slimmer, refined design with integrated LED technology. Its adjustable shade and signature brass wingnut provide maximum flexibility and precise light control.
Volt	220–240 V | 4 Watt
Light source	Integrated dimmable led
Led color	2700K
CRI	90
Colors	


More specifications on pages 116 – 141


wall (with black cords)




wall (with orange cords)









320-degree rotating shade




RAZOR

Razor is a new collection made from curved textured glass. The collection is inspired by the razor shell, a long, narrow shell often found along the Dutch coast. The elegant, slightly curved shape of the shell is the starting point for this family of lamps.

Razor translates the shape of the shell into glass. The curved lines refer to the soft shape of the razor shell. The textures in the glass are inspired by the surface of the sea, shaped by wind, movement and reflections of light.








PENDANT HORIZONTAL

Design by Anton de Groof 2026


Material	Stainless steel or brass & glass
Description	Razor is a glass lighting collection inspired by the movement of the sea, with curved glass that softly catches and reflects the light. Its flowing form, refined details and warm light create a distinctive yet calm appearance.
Volt	220–240 V | 13,5 Watt
Light source	Integrated LED source
Led color	2700K
CRI	90
Glass colors	


More specifications on pages 116 – 141

brass



stainless steel







PENDANT VERTICAL


Design by Anton de Groof 2026

Material	Brass & glass
Description	Razor is a glass lighting collection inspired by the movement of the sea, with curved glass that softly catches and reflects the light. Its flowing form, refined details and warm light create a distinctive yet calm appearance.
Volt	220–240 V | 6,5 Watt
Light source	Integrated LED source
Led color	2200K
CRI	84
Glass colors	

More specifications on pages 116 – 141

pendant







WALL


Design by Anton de Groof 2026


Material	Brass & glass
Description	Razor is a glass lighting collection inspired by the movement of the sea, with curved glass that softly catches and reflects the light. Its flowing form, refined details and warm light create a distinctive yet calm appearance.
Volt	220–240 V | 5,6 Watt
Light source	Integrated LED source
Led color	2700K
CRI	90
Glass colors	

More specifications on pages 116 – 141

wall







BRIDGE

The Bridge is a linear LED lamp that creates a graphic interplay of lines and invites experimentation with composition. Like a real bridge, it is supported by steel cables that both carry the load and conduct the power, eliminating the need for a visible power cord.

Available in four lengths (110, 150, 180 and 220 cm), Bridge is made from recycled plexiglass and comes in Fog White, Cocoa Brown, Smoke Grey and two striking neon shades: Lava Orange and Toxic Green.







BRIDGE


Design by Anton de Groof 2023

Material	Aluminum, acrylic and steel
Description	A linear LED lamp that allows for a graphic interplay of lines and offers the opportunity to experiment with composition. The design is functional, but also contains the typical layering of Tonone.
Volt	220–240 V
Watt	19 – 38 Watt
Led color	2700K
Colors	

More specifications on pages 116 – 141

lava orange





Bridge 110 = 1100
Bridge 150 = 1495
Bridge 180 = 1800
Bridge 220 = 2200



cable length = 2200 – 2600
longer steel cables available on request



ONE

The portable and rechargeable design lamp ONE is a true all-rounder. You can take the lamp anywhere you want and it fits in every room of your house. Thanks to its magnetic attachment, you're able to snap the ONE on its fixture with just one simple movement. With its fully charged built-in battery, it lights up your life up to 30 hours. The ONE is easy to charge with the included cable.

The ONE is available in 6 colors. Combine the ONE with one of the fixtures and make a floor, desk, ceiling or wall lamp.






auhaus

ONE + KNOB


Design by Anton de Groof 2022


Material	Aluminum & steel
Description	The lamp is made out of powder coated aluminum and steel. The ONE is portable and has a built-in battery. The magnetic attachment allows you to snap ONE onto different fixtures. Charging cable included.
Volt	220–240 V | Max 1,5 Watt
Light source	Integrated dimmable led
Led color	2700K
CRI	90
Colors	

More specifications on pages 116 – 141

one + knob









DESK


Design by Anton de Groof 2022

Material	Aluminum & steel
Description	ONE + desk is made out of powder coated aluminum and steel. The ONE is portable and has a built-in battery. The magnetic attachment allows you to snap ONE onto different fixtures. Charging cable included.
Volt	220–240 V | Max 1,5 Watt
Light source	Integrated dimmable led
Led color	2700K
CRI	90
Colors	

More specifications on pages 116 – 141

one + desk







FLOOR

Design by Anton de Groof 2022

Material	Steel & aluminum
Description	ONE + floor is made out of powder coated aluminum and steel. The ONE is portable and has a built-in battery. The magnetic attachment allows you to snap ONE onto different fixtures. Charging cable included.
Volt	220–240 V | Max 1,5 Watt
Light source	Integrated dimmable led
Led color	2700K
CRI	90
Colors	

More specifications on pages 116 – 141


one + floor





one + floor straight







WALL


Design by Anton de Groof 2022

Material	Steel & aluminum
Description	ONE + wall is made out of powder coated aluminum and steel. The ONE is portable and has a built-in battery. The magnetic attachment allows you to snap ONE onto different fixtures. Charging cable included.
Volt	220–240 V | Max 1,5 Watt
Light source	Integrated dimmable led
Led color	2700K
CRI	90
Colors	

More specifications on pages 116 – 141

one + wall







BELLA

The Tonone Bella truly lives up to her name: she's a real Bella. Because of the three legs, a closed lampshade and the use of only one screw, this lamp has a functional design. The choice of powder-coated steel makes the Bella strong, both in her appearance and her construction.

Bella is available in 2 different models, as a pendant and table lamp, and 11 colors. To customize the design even further, you can choose the color of the fitting: black or brass.







TABLE

Design by Anton de Groof 2022

Material	Aluminum & steel
Description	The three legs are made of powder coated steel, the lampshade of coated aluminum. The Bella is almost completely screwless, the fitting is the only part that is secured with a screw.
Volt	220–240 V
Max Watt	60 Watt
Socket	E27
Colors	


More specifications on pages 116 – 141

black aluminum fitting



brass fitting







PENDANT

Design by Anton de Groof 2022

Material	Aluminum & steel
Description	The lampshade is made of powder coated aluminum. The Bella is almost completely screwless, the fitting is the only part that is secured with a screw. The ceiling cap comes in the same color as the lamp.
Volt	220–240 V
Max Watt	60 Watt
Socket	E27
Colors	


More specifications on pages 116 – 141

black aluminum fitting



brass fitting






ceiling cap



BOLT

The starting point for the products of Tonone is the passion for traditional mechanics. The first product line that resulted from this fascination is the lamp series 'Bolt'.


The key element in this industrial series is the joint construction that can be adjusted with a wingnut-shaped tool. Besides being a functional tool, this wingnut is integrated in the design of the lamp itself as a distinctive visual element.






2 arm foot





2 arm clamp





DESK


Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Base and body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220–240 V
Max Watt	60 Watt
Socket	E27
Colors	

More specifications on pages 116 – 141


1 arm foot





1 arm clamp







DESK SMALL


Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Base and body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220–240 V
Max Watt	60 Watt
Socket	E27
Colors	

More specifications on pages 116 – 141


2 arm small






1 arm small





1 arm small clamp







TABLE


Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Base and body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220–240 V
Max Watt	60 Watt
Socket	E27
Colors	

More specifications on pages 116 – 141

small







FLOOR


Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Base and body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220–240 V
Max Watt	60 Watt
Socket	E27
Colors	

More specifications on pages 116 – 141


2 arm sidefit





1 arm sidefit







FLOOR LONG


Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Base and body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220–240 V
Max Watt	60 Watt
Socket	E27
Dimmer	2 arm upperfit includes a LED dimmer
Colors	

More specifications on pages 116 – 141


long 2 arm upperfit





long 1 arm sidefit







FT 2nd Floor




Installation



sidefit






39

sidefit small





33

WALL

Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220–240 V | Max 60 Watt
Socket	E27
Installation-options	1. powercord including switch and europlug 2. terminal block to install directly on a junction box 3. option 2 + optional wall ring
Colors	


More specifications on pages 116 – 141


sidefit mini




underfit











BED

Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut. The bed version can be swiveled horizontally.
Volt	220–240 V | Max 60 Watt
Socket	E27
Installation-options	1. powercord including europlug 2. terminal block to install directly on a junction box 3. option 2 + optional wall ring
Colors	

More specifications on pages 116 – 141


sidefit





underfit




Installation











1 arm upperfit





2 arm upperfit





CEILING

Design by Anton de Groof 2016

Material	Steel & aluminum
Description	Body in powder coated steel, shade in powder coated aluminum. The shade and arms are adjustable with the wingnut.
Volt	220–240 V | Max 60 Watt
Socket	E27
Colors	


More specifications on pages 116 – 141


1 arm sidefit




2 arm sidefit








ceiling cap





6 arm





CHANDELIER

Design by Anton de Groof 2013

Material	Steel & aluminum
Description	Body in powder coated steel, shades in powder coated aluminum. The shades and arms are adjustable with the wingnut.
Volt	220–240 V
Max Watt	60 Watt
Socket	E27
Colors	


More specifications on pages 116 – 141


12 arm



18 arm










PACK PENDANT

Design by Anton de Groof 2013


Material	Steel & aluminum
Description	Body in powder coated steel, shades in powder coated aluminum. The shades and arms are adjustable with the wingnut.
Volt	220–240 V
Max Watt	60 Watt
Socket	E27
Colors	


More specifications on pages 116 – 141

pack pendant





12 pack = 2198
10 pack = 1798
8 pack = 1398
6 pack = 998





ceiling cap





BEADS

The Beads collection is a series of lamps designed to fit in every environment. The modest look of the armature starts shining when it comes to functionality. With its 360-degree dimmable and pivotable LED ring, the Beads is a solution for any situation.

On top of that the Beads is available as a pendant, a ceiling-, wall-, floor- or table lamp. With the Beads Tonone illustrates a next step in innovating lighting concepts, but also sticks to the basic design signature of this brand.








PENDANT


Design by Anton de Groof 2018


Material	Aluminum
Description	The lightweight Beads is made out of aluminum materials.
Volt	220–240 V
Watt	16 Watt
Light source	Phase cut dimmable led
LED color	Dim to warm (2100K to 2800K)
CRI	90
Color	

More specifications on pages 116 – 141





pendant box 50







pendant box 108





pendant






Beads pendant





five in line





BEADS IN LINE


Design by Anton de Groof 2018


Material	Aluminum
Description	The lightweight Beads is made out of aluminum materials.
Volt	220–240 V
Watt	5x 16 Watt or 3x 16 Watt
Light source	Phase cut dimmable led
LED color	Dim to warm (2100K to 2800K)
CRI	90
Color	

More specifications on pages 116 – 141

three in line









BEADS IN CIRCLE


Design by Anton de Groof 2018


Material	Aluminum
Description	The lightweight Beads is made out of aluminum materials.
Volt	220–240 V
Watt	3x 16 Watt
Light source	Phase cut dimmable led
LED color	Dim to warm (2100K to 2800K)
CRI	90
Color	


More specifications on pages 116 – 141

three in circle











MR. TUBES LED

Mr. Tubes is a sturdy lamp design that combines pure functionality with graphical aesthetics. The black- or white coated steel construction holds the led tubes and gives the lamp an industrial look; a straightforward design suitable for various locations. The lamp is dimmable and the adjustable steel cables make it possible to hang the lamp at any height.

Mr. Tubes is available as a pendant single, double, floor, wall and chandelier. Or build your own with the Mr. Tubes Led Connect.







PENDANT

Design by Anton de Groof 2019

Material	Aluminum & steel
Description	Body in powder coated steel & aluminum, carried by black steel cables. The Mr. Tubes is phase cut dimmable.
Volt	220–240 V | 1000 mm tube 11 Watt | 700 mm 8 Watt
Installation	1. driver on fixture 2. & 3. driver separate
Light color	2700K or 4000K
CRI	>90
Colors	


More specifications on pages 116 – 141


single driver separate



single driver on fixture









DOUBLE

Design by Anton de Groof 2019


Material	Aluminum & steel
Description	Body in powder coated steel & aluminum, carried by 2 black steel cables. The Mr. Tubes is phase cut dimmable.
Volt	220–240 V
Watt	23 Watt
Light color	2700K or 4000K
CRI	>90
Colors	


More specifications on pages 116 – 141

double black



double white







CHANDELIER

Design by Anton de Groof 2019

Material	Aluminum & steel
Description	Body in powder coated steel & aluminum, carried by a black steel cable. The Mr. Tubes is phase cut dimmable.
Volt	220–240 V
Watt	40 Watt
Light color	2700K or 4000K
CRI	>90
Colors	


More specifications on pages 116 – 141


chandelier black



chandelier white








DAILY FUEL

CONNECT


Design by Anton de Groof 2019

Material	Aluminum & steel
Description	Body in powder coated steel & aluminum, carried by black steel cables. The Mr. Tubes is phase cut dimmable.
Volt	220–240 V | 1000 mm tube 11 Watt | 700 mm tube 8 Watt
Light color	2700K or 4000K
CRI	>90
Colors	

Create your Mr. Tubes led Connect with us.
info@tonone.com

connect







ATLAS

The combination of an aluminium or brass hinge mechanism with a transparent hand-blown glass shade creates a constructive lamp with a poetic character. By unfolding the hinge mechanism to an upright position, the glass shade is hold up while it rests on the construction.

Atlas comes in two sizes: a big shade of 450 mm wide and a smaller shade of 350 mm wide.







ATLAS

Design by Anton de Groof 2015


Material	Brass & hand blown glass
Description	A hand blown glass shade held by an ingenious brass hinge mechanism.
Volt	220–240 V
Max Watt	60 Watt
Socket	E27
Glass colors	Transparent & neutral grey

Color

More specifications on pages 116 – 141


D350





D450








ELLA

A hand-blown glass shade is supported by a sturdy steel tripod stand, underlining its strong, graphic yet elegant and light character. Both the transparent and the neutral grey shades provide a soft glow, and work harmoniously with the black or white stand colors and brass details.







ELLA

Design by Anton de Groof 2016

Material	Steel & hand blown glass
Description	The tripod stand is made of powder coated steel and holds a hand blown-glass shade.
Volt	220–240 V
Max Watt	60 Watt
Socket	E27
Glass colors	Transparent or neutral grey
Body colors	


More specifications on pages 116 – 141

ella black



ella white









specifications




p. 58

BOLT Desk 2 arm foot
Anton de Groof, 2013

Material: steel & aluminum
Weight: 7,8 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2900 mm

Wingnut solid brass included



- smokey black 1001
- flux green 1003
- pure white 1005
- midnight grey 1252
- ash grey 1008
- striking orange 1006
- lightning white 1004
- thunder blue 1007
- daybreak rose 1457
- sunny yellow 1415
- ice blue 1600




p. 58

BOLT Desk 2 arm clamp
Anton de Groof, 2013

Material: steel & aluminum
Weight: 2,5 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2900 mm

Wingnut solid brass included



- smokey black 1009
- flux green 1011
- pure white 1013
- midnight grey 1253
- ash grey 1016
- striking orange 1014
- lightning white 1012
- thunder blue 1015
- daybreak rose 1458
- sunny yellow 1416
- ice blue 1601




p. 58

BOLT Desk 1 arm foot
Anton de Groof, 2013

Material: steel & aluminum
Weight: 7,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2400 mm

Wingnut solid brass included



- smokey black 1017
- flux green 1019
- pure white 1021
- midnight grey 1254
- ash grey 1024
- striking orange 1022
- lightning white 1020
- thunder blue 1023
- daybreak rose 1460
- sunny yellow 1418
- ice blue 1602




p. 58

BOLT Desk 1 arm clamp
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,9 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2400 mm

Wingnut solid brass included



- smokey black 1025
- flux green 1027
- pure white 1029
- midnight grey 1255
- ash grey 1032
- striking orange 1030
- lightning white 1028
- thunder blue 1031
- daybreak rose 1461
- sunny yellow 1419
- ice blue 1603




p. 60

BOLT Desk small 2 arm foot
Anton de Groof, 2013 / 2018

Material: steel & aluminum
Weight: 5,3 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2300 mm

Wingnut solid brass included



- smokey black 1352
- flux green 1353
- pure white 1355
- midnight grey 1359
- ash grey 1358
- striking orange 1356
- lightning white 1354
- thunder blue 1357
- daybreak rose 1459
- sunny yellow 1417
- ice blue 1606

light source(s) not included led integrated LED




p. 60

BOLT Desk small 1 arm foot
Anton de Groof, 2013 /2018

Material: steel & aluminum
Weight: 4,8 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included



- smokey black 1033
- flux green 1035
- pure white 1037
- midnight grey 1256
- ash grey 1040
- striking orange 1038
- lightning white 1036
- thunder blue 1039
- daybreak rose 1462
- sunny yellow 1420
- ice blue 1604




p. 60

BOLT Desk small 1 arm clamp
Anton de Groof, 2013 / 2018

Material: steel & aluminum
Weight: 1,7 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included




- smokey black 1041
- flux green 1042
- pure white 1044
- midnight grey 1257
- ash grey 1048
- striking orange 1045
- lightning white 1043
- thunder blue 1046
- daybreak rose 1463
- sunny yellow 1421
- ice blue 1605



BOLT Table standard
Anton de Groof, 2013

Material: steel & aluminum
Weight: 7,3 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2300 mm

Wingnut solid brass included



- smokey black 1049
- flux green 1051
- pure white 1053
- midnight grey 1258
- ash grey 1056
- striking orange 1054
- lightning white 1052
- thunder blue 1055
- daybreak rose 1464
- sunny yellow 1422
- ice blue 1607




p. 62

BOLT Table small
Anton de Groof, 2013

Material: steel & aluminum
Weight: 7,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included



- smokey black 1057
- flux green 1059
- pure white 1061
- midnight grey 1259
- ash grey 1064
- striking orange 1062
- lightning white 1060
- thunder blue 1063
- daybreak rose 1465
- sunny yellow 1423
- ice blue 1608




BOLT Mount for table / desk

Material: steel & aluminum

Bolt Desk and Bolt Table available
with mount instead of a foot or clamp.

Please contact Tonone for
more information.

info@tonone.com



- smokey black 1547
- flux green 1548
- pure white 1549
- midnight grey 1550
- ash grey 1551
- striking orange 1552
- lightning white 1553
- thunder blue 1554
- daybreak rose 1555
- sunny yellow 1556
- ice blue 1652

light source(s) not included led integrated LED




p. 64

BOLT Floor 2 arm sidefit
Anton de Groof, 2013

Material: steel & aluminum
Weight: 8,8 kg
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 3000 mm

Wingnut solid brass included



- smokey black 1065
- flux green 1067
- pure white 1069
- midnight grey 1260
- ash grey 1072
- striking orange 1070
- lightning white 1068
- thunder blue 1071
- daybreak rose 1466
- sunny yellow 1424
- ice blue 1609




p. 64

BOLT Floor 1 arm sidefit
Anton de Groof, 2013

Material: steel & aluminum
Weight: 8,4 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2400 mm

Wingnut solid brass included



- smokey black 1073
- flux green 1075
- pure white 1077
- midnight grey 1261
- ash grey 1080
- striking orange 1078
- lightning white 1076
- thunder blue 1079
- daybreak rose 1467
- sunny yellow 1425
- ice blue 1610




p. 66

BOLT Floor long 2 arm upperfit
Anton de Groof, 2013

Material: steel & aluminum
Weight: 10,1 kg
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2900 mm
Includes a LED floordimmer on cord

Wingnut solid brass included



- smokey black 1360
- flux green 1361
- pure white 1363
- midnight grey 1367
- ash grey 1366
- striking orange 1364
- lightning white 1362
- thunder blue 1365
- daybreak rose 1469
- sunny yellow 1427
- ice blue 1612




p. 66

BOLT Floor long 1 arm sidefit
Anton de Groof, 2013

Material: steel & aluminum
Weight: 9,3 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2200 mm

Wingnut solid brass included



- smokey black 1279
- flux green 1280
- pure white 1282
- midnight grey 1286
- ash grey 1285
- striking orange 1283
- lightning white 1281
- thunder blue 1284
- daybreak rose 1468
- sunny yellow 1426
- ice blue 1611




p. 70

BOLT Wall sidefit with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,0 kg
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2600 mm

Wingnut solid brass included



- smokey black 1081
- flux green 1083
- pure white 1085
- midnight grey 1262
- ash grey 1088
- striking orange 1086
- lightning white 1084
- thunder blue 1087
- daybreak rose 1470
- sunny yellow 1428
- ice blue 1613

light source(s) not included led integrated LED




BOLT Wall sidefit install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,0 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included

p. 70



- smokey black 1089
- flux green 1091
- pure white 1093
- midnight grey 1265
- ash grey 1096
- striking orange 1094
- lightning white 1092
- thunder blue 1095
- daybreak rose 1473
- sunny yellow 1431
- ice blue 1614




BOLT Wall sidefit small with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,0 kg
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2750 mm

Wingnut solid brass included

p. 70



- smokey black 1220
- flux green 1222
- pure white 1224
- midnight grey 1263
- ash grey 1227
- striking orange 1225
- lightning white 1223
- thunder blue 1226
- daybreak rose 1471
- sunny yellow 1429
- ice blue 1617




BOLT Wall sidefit small install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,0 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included

p. 70



- smokey black 1236
- flux green 1238
- pure white 1240
- midnight grey 1266
- ash grey 1243
- striking orange 1241
- lightning white 1239
- thunder blue 1242
- daybreak rose 1474
- sunny yellow 1432
- ice blue 1618




BOLT Wall sidefit mini with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 0,9 kg
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2850 mm

Wingnut solid brass included

p. 71



- smokey black 1228
- flux green 1230
- pure white 1232
- midnight grey 1264
- ash grey 1235
- striking orange 1233
- lightning white 1231
- thunder blue 1234
- daybreak rose 1472
- sunny yellow 1430
- ice blue 1619




BOLT Wall sidefit mini install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 0,9 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included

p. 71



- smokey black 1244
- flux green 1246
- pure white 1248
- midnight grey 1267
- ash grey 1251
- striking orange 1249
- lightning white 1247
- thunder blue 1250
- daybreak rose 1475
- sunny yellow 1433
- ice blue 1620

light source(s) not included led integrated LED




BOLT Wall underfit with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2600 mm

Wingnut solid brass included

p. 71



- smokey black 1105
- flux green 1107
- pure white 1109
- midnight grey 1268
- ash grey 1112
- striking orange 1110
- lightning white 1108
- thunder blue 1111
- daybreak rose 1476
- sunny yellow 1434
- ice blue 1615




BOLT Wall underfit install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included

p. 71



- smokey black 1113
- flux green 1114
- pure white 1116
- midnight grey 1269
- ash grey 1120
- striking orange 1117
- lightning white 1115
- thunder blue 1118
- daybreak rose 1477
- sunny yellow 1435
- ice blue 1616




BOLT Bed sidefit with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included

p. 72



- smokey black 1129
- flux green 1131
- pure white 1133
- midnight grey 1270
- ash grey 1136
- striking orange 1134
- lightning white 1132
- thunder blue 1135
- daybreak rose 1478
- sunny yellow 1436
- ice blue 1623




BOLT Bed sidefit with cord MIRROR
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included

p. 72



- smokey black 1529
- flux green 1530
- pure white 1531
- midnight grey 1532
- ash grey 1533
- striking orange 1534
- lightning white 1535
- thunder blue 1536
- daybreak rose 1537
- sunny yellow 1538
- ice blue 1624




BOLT Bed sidefit install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included

p. 72



- smokey black 1137
- flux green 1139
- pure white 1141
- midnight grey 1271
- ash grey 1144
- striking orange 1142
- lightning white 1140
- thunder blue 1143
- daybreak rose 1479
- sunny yellow 1437
- ice blue 1626

light source(s) not included led integrated LED




BOLT Bed sidefit install MIRROR
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,2 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included

p. 72



- smokey black 1368
- flux green 1369
- pure white 1371
- midnight grey 1375
- ash grey 1374
- striking orange 1372
- lightning white 1370
- thunder blue 1373
- daybreak rose 1480
- sunny yellow 1438
- ice blue 1627




BOLT Bed sidefit set
Anton de Groof, 2013

Material: steel & aluminum
Weight: 2,4 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 2500 mm

Wingnut solid brass included

p. 72



- smokey black 1560
- flux green 1561
- pure white 1562
- midnight grey 1563
- ash grey 1564
- striking orange 1565
- lightning white 1566
- thunder blue 1567
- daybreak rose 1568
- sunny yellow 1569
- ice blue 1625




BOLT Bed sidefit set install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 2,4 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included

p. 72



- smokey black 1570
- flux green 1571
- pure white 1572
- midnight grey 1573
- ash grey 1574
- striking orange 1575
- lightning white 1576
- thunder blue 1577
- daybreak rose 1578
- sunny yellow 1579
- ice blue 1628




BOLT Bed underfit with cord
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,4 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included

p. 72



- smokey black 1145
- flux green 1147
- pure white 1149
- midnight grey 1272
- ash grey 1152
- striking orange 1150
- lightning white 1148
- thunder blue 1151
- daybreak rose 1481
- sunny yellow 1439
- ice blue 1629




BOLT Bed underfit with cord MIRROR
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,4 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2500 mm

Wingnut solid brass included

p. 72



- smokey black 1519
- flux green 1520
- pure white 1521
- midnight grey 1522
- ash grey 1523
- striking orange 1524
- lightning white 1525
- thunder blue 1526
- daybreak rose 1527
- sunny yellow 1528
- ice blue 1630

light source(s) not included led integrated LED




BOLT Bed underfit install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,4 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included

p. 72



- smokey black 1153
- flux green 1155
- pure white 1157
- midnight grey 1273
- ash grey 1160
- striking orange 1158
- lightning white 1156
- thunder blue 1159
- daybreak rose 1482
- sunny yellow 1440
- ice blue 1632




BOLT Bed underfit install MIRROR
Anton de Groof, 2013

Material: steel & aluminum
Weight: 1,4 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included

p. 72



- smokey black 1376
- flux green 1377
- pure white 1379
- midnight grey 1383
- ash grey 1382
- striking orange 1380
- lightning white 1378
- thunder blue 1381
- daybreak rose 1483
- sunny yellow 1441
- ice blue 1633




BOLT Bed underfit set
Anton de Groof, 2013

Material: steel & aluminum
Weight: 2,8 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 2500 mm

Wingnut solid brass included

p. 72



- smokey black 1580
- flux green 1581
- pure white 1582
- midnight grey 1583
- ash grey 1584
- striking orange 1585
- lightning white 1586
- thunder blue 1587
- daybreak rose 1588
- sunny yellow 1589
- ice blue 1631




BOLT Bed underfit set install
Anton de Groof, 2013

Material: steel & aluminum
Weight: 2,8 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Optional: wallring

Wingnut solid brass included

p. 72



- smokey black 1590
- flux green 1591
- pure white 1592
- midnight grey 1593
- ash grey 1594
- striking orange 1595
- lightning white 1596
- thunder blue 1597
- daybreak rose 1598
- sunny yellow 1599
- ice blue 1634




BOLT Ceiling 1 arm sidefit
Anton de Groof, 2016

Material: steel & aluminum
Weight: 1,5 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27

Wingnut solid brass included

p. 75



- smokey black 1304
- flux green 1305
- pure white 1307
- midnight grey 1311
- ash grey 1310
- striking orange 1308
- lightning white 1306
- thunder blue 1309
- daybreak rose 1486
- sunny yellow 1444
- ice blue 1636

light source(s) not included led integrated LED




p. 75

BOLT Ceiling 2 arm sidefit
Anton de Groof, 2016

Material: steel & aluminum
Weight: 1,9 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27

Wingnut solid brass included



smokey black	1320
flux green	1321
pure white	1323
midnight grey	1327
ash grey	1326
striking orange	1324
lightning white	1322
thunder blue	1325
daybreak rose	1487
sunny yellow	1445
ice blue	1638




p. 74

BOLT Ceiling 1 arm upperfit
Anton de Groof, 2016

Material: steel & aluminum
Weight: 1,7 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27

Wingnut solid brass included



smokey black	1312
flux green	1313
pure white	1315
midnight grey	1319
ash grey	1318
striking orange	1316
lightning white	1314
thunder blue	1317
daybreak rose	1490
sunny yellow	1448
ice blue	1640




p. 74

BOLT Ceiling 2 arm upperfit
Anton de Groof, 2016

Material: steel & aluminum
Weight: 2,1 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27

Wingnut solid brass included



smokey black	1328
flux green	1329
pure white	1331
midnight grey	1335
ash grey	1334
striking orange	1332
lightning white	1330
thunder blue	1333
daybreak rose	1491
sunny yellow	1449
ice blue	1642




p. 76

BOLT Chandelier 6 arm
Anton de Groof, 2013

Material: steel & aluminum
Weight: 6,5 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 3000 mm

Wingnut solid brass included



smokey black	1161
flux green	1163
pure white	1165
midnight grey	1278
ash grey	1168
striking orange	1166
lightning white	1164
thunder blue	1167
daybreak rose	1494
sunny yellow	1452
ice blue	1643




p. 76

BOLT Chandelier 12 arm
Anton de Groof, 2013

Material: steel & aluminum
Weight: 12,5 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 3000 mm

Wingnut solid brass included



smokey black	1169
flux green	1539
pure white	1540
midnight grey	1541
ash grey	1542
striking orange	1543
lightning white	1384
thunder blue	1544
daybreak rose	1545
sunny yellow	1546
ice blue	1644

light source(s) not included led integrated LED




BOLT Chandelier 18 arm
Anton de Groof, 2013

Material: steel & aluminum
Weight: 15 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 3000 mm

Wingnut solid brass included

p. 76



smokey black	1298
flux green	1500
pure white	1501
midnight grey	1502
ash grey	1503
striking orange	1504
lightning white	1505
thunder blue	1506
daybreak rose	1507
sunny yellow	1508
ice blue	1645




BOLT 6-pack pendant
Anton de Groof, 2013

Material: steel & aluminum
Weight: 7 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 5000 mm

Wingnut solid brass included

p. 78



smokey black	1170
flux green	1097
pure white	1098
midnight grey	1103
ash grey	1102
striking orange	1100
lightning white	1099
thunder blue	1101
daybreak rose	1495
sunny yellow	1453
ice blue	1646




BOLT 8-pack pendant
Anton de Groof, 2013

Material: steel & aluminum
Weight: 8,7 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 5000 mm

Wingnut solid brass included

p. 78



smokey black	1171
flux green	1104
pure white	1121
midnight grey	1126
ash grey	1125
striking orange	1123
lightning white	1122
thunder blue	1124
daybreak rose	1496
sunny yellow	1454
ice blue	1647




BOLT 10-pack pendant
Anton de Groof, 2013

Material: steel & aluminum
Weight: 10,6 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 5000 mm

Wingnut solid brass included

p. 78



smokey black	1172
flux green	1127
pure white	1128
midnight grey	1193
ash grey	1191
striking orange	1175
lightning white	1174
thunder blue	1190
daybreak rose	1497
sunny yellow	1455
ice blue	1648




BOLT 12-pack pendant
Anton de Groof, 2013

Material: steel & aluminum
Weight: 12,6 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 5000 mm

Wingnut solid brass included

led

p. 78



smokey black	1173
flux green	1208
pure white	1209
midnight grey	1214
ash grey	1213
striking orange	1211
lightning white	1210
thunder blue	1212
daybreak rose	1498
sunny yellow	1456
ice blue	1649

light source(s) not included led integrated LED




p. 84

BEADS Pendant box 50
Anton de Groof, 2018

Material: aluminum
Weight: 0,8 kg
IP 20
Volt: 220–240 V | 16 Watt
Dim to warm 2100K to 2800K
900 lumen | CRI: 90
Phase cut dimmable
Cord length: max 3000 mm

led



● smokey black 2000




p. 84


BEADS Pendant box 108
Anton de Groof, 2018

Material: aluminum
Weight: 0,9 kg
IP 20
Volt: 220–240 V | 16 Watt
Dim to warm 2100K to 2800K
900 lumen | CRI: 90
Phase cut dimmable
Cord length: max 3000 mm

led



● smokey black 2010




p. 84

BEADS Pendant
Anton de Groof, 2018

Material: aluminum
Weight: 0,8 kg
IP 20
Volt: 220–240 V | 16 Watt
Dim to warm 2100K to 2800K
900 lumen | CRI: 90
Phase cut dimmable
Cord length: max 3000 mm

led




● smokey black 2020



BEADS Direct inside
Anton de Groof, 2018

Material: aluminum
Weight: 0,8 kg
IP 20
Volt: 220–240 V | 16 Watt
Dim to warm 2100K to 2800K
900 lumen | CRI: 90
Phase cut dimmable

led




● smokey black 2030



BEADS Direct outside
Anton de Groof, 2018

Material: aluminum
Weight: 0,8 kg
IP 20
Volt: 220–240 V | 16 Watt
Dim to warm 2100K to 2800K
900 lumen | CRI: 90
Phase cut dimmable

led



● smokey black 3000


light source(s) not included led integrated LED



BEADS Wall 120 with cord
Anton de Groof, 2018

Material: aluminum & steel
Weight: 1,9 kg
IP 20
Volt: 220–240 V | 16 Watt
Dim to warm 2100K to 2800K
900 lumen | CRI: 90
Dimmable on fixture
Cord length: 2700 mm

led




● smokey black 2040



BEADS Wall 120 install
Anton de Groof, 2018

Material: aluminum & steel
Weight: 1,9 kg
IP 20
Volt: 220–240 V | 16 Watt
Dim to warm 2100K to 2800K
900 lumen | CRI: 90
Phase cut dimmable

led




● smokey black 2050



BEADS Wall 35 downlight install
Anton de Groof, 2018

Material: aluminum & steel
Weight: 1,3 kg
IP 20
Volt: 220–240 V | 16 Watt
Dim to warm 2100K to 2800K
900 lumen | CRI: 90
Phase cut dimmable

led




● smokey black 2060



BEADS Wall 35 downlight install
Anton de Groof, 2018

Material: aluminum & steel
Weight: 1,3 kg
IP 20
Volt: 220–240 V | 16 Watt
Dim to warm 2100K to 2800K
900 lumen | CRI: 90
Phase cut dimmable

led




● smokey black 2070



BEADS Wall 35 uplight with cord
Anton de Groof, 2018

Material: aluminum & steel
Weight: 1,3 kg
IP 20
Volt: 220–240 V | 16 Watt
Dim to warm 2100K to 2800K
900 lumen | CRI: 90
Dimmable on fixture
Cord length: 2600 mm

led



● smokey black 2080


light source(s) not included led integrated LED



BEADS Wall 35 uplight install
Anton de Groof, 2018

Material: aluminum & steel
Weight: 1,3 kg
IP 20
Volt: 220–240 V | 16 Watt
Dim to warm 2100K to 2800K
900 lumen | CRI: 90
Phase cut dimmable

led



● smokey black 2090




BEADS Five in line
Anton de Groof, 2018

Material: aluminum
Weight: 5 kg
IP 20
Volt: 220–240 V | 80 Watt
Dim to warm 2100K to 2800K
4500 lumen | CRI: 90
Phase cut dimmable

led

p. 88



● smokey black 3010




BEADS Three in line
Anton de Groof, 2018

Material: aluminum
Weight: 3 kg
IP 20
Volt: 220–240 V | 48 Watt
Dim to warm 2100K to 2800K
2700 lumen | CRI: 90
Phase cut dimmable

led

p. 89



● smokey black 3020




BEADS Three in circle
Anton de Groof, 2018

Material: aluminum
Weight: 3,1 kg
IP 20
Volt: 220–240 V | 48 Watt
Dim to warm 2100K to 2800K
2700 lumen | CRI: 90
Phase cut dimmable

led

p. 90




● smokey black 3030



BEADS Table uplight
Anton de Groof, 2018

Material: aluminum & steel
Weight: 4 kg
IP 20
Volt: 220–240 V | 16 Watt
Dim to warm 2100K to 2800K
900 lumen | CRI: 90
Dimmable on fixture
Cord length: 2400 mm

led



● smokey black 3060


light source(s) not included led integrated LED



BEADS Table downlight
Anton de Groof, 2018

Material: aluminum & steel
Weight: 4 kg
IP 20
Volt: 220–240 V | 16 Watt
Dim to warm 2100K to 2800K
900 lumen | CRI: 90
Dimmable on fixture
Cord length: 2400 mm

led




● smokey black 3070



BEADS Floor uplight
Anton de Groof, 2018

Material: aluminum & steel
Weight: 7,6 kg
IP 20
Volt: 220–240 V | 16 Watt
Dim to warm 2100K to 2800K
900 lumen | CRI: 90
Dimmer on cord
Cord length: 2100 mm

led




● smokey black 3040



BEADS Floor downlight
Anton de Groof, 2018

Material: aluminum & steel
Weight: 7,6 kg
IP 20
Volt: 220–240 V | 16 Watt
Dim to warm 2100K to 2800K
900 lumen | CRI: 90
Dimmer on cord
Cord length: 2100 mm

led



● smokey black 3050




MR. TUBES LED Pendant
horizontal | 2700K | driver separate
Anton de Groof, 2019

Material: aluminum & steel
Weight: 0,8 kg
IP 20
Volt: 220–240 V | 11 Watt
1235 lumen | 2700K | CRI: >90
Phase cut dimmable

led

p. 98



● smokey black 4000
with black cords

○ pure white 4002
with orange
cords




MR. TUBES LED Pendant
horizontal | 4000K | driver separate
Anton de Groof, 2019

Material: aluminum & steel
Weight: 0,8 kg
IP 20
Volt: 220–240 V | 11 Watt
1235 lumen | 4000K | CRI: >90
Phase cut dimmable

led

p. 98



● smokey black 4001
with black cords

○ pure white 4003
with orange
cords

light source(s) not included led integrated LED




MR. TUBES LED Pendant
horizontal | 2700K | driver on fixture
Anton de Groof, 2019

Material: aluminum & steel
Weight: 1,3 kg
IP 20
Volt: 220–240 V | 11 Watt
1235 lumen | 2700K | CRI: >90
Phase cut dimmable

Wingnut solid brass included

led

p. 98



- ● smokey black with black cords 4005
- ○ pure white with orange cords 4007




MR. TUBES LED Pendant
horizontal | 4000K | driver on fixture
Anton de Groof, 2019

Material: aluminum & steel
Weight: 1,3 kg
IP 20
Volt: 220–240 V | 11 Watt
1235 lumen | 4000K | CRI: >90
Phase cut dimmable

Wingnut solid brass included

led

p. 98




- ● smokey black with black cords 4006
- ○ pure white with orange cords 4008

MR. TUBES LED Pendant
vertical 700 | 2700K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 0,7 kg
IP 20
Volt: 220–240 V | 8 Watt
865 lumen | 2700K | CRI: >90
Phase cut dimmable

led




- ● smokey black with black cords 4010
- ○ pure white with orange cords 4011



MR. TUBES LED Pendant
vertical 700 | 4000K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 0,7 kg
IP 20
Volt: 220–240 V | 8 Watt
865 lumen | 4000K | CRI: >90
Phase cut dimmable

led




- ● smokey black with black cords 4012
- ○ pure white with orange cords 4013

MR. TUBES LED Pendant
vertical 1000 | 2700K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 0,8 kg
IP 20
Volt: 220–240 V | 11 Watt
1235 lumen | 2700K | CRI: >90
Phase cut dimmable

led



- ● smokey black with black cords 4014
- ○ pure white with orange cords 4017

light source(s) not included led integrated LED

MR. TUBES LED Pendant
vertical 1000 | 4000K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 0,8 kg
IP 20
Volt: 220–240 V | 11 Watt
1235 lumen | 4000K | CRI: >90
Phase cut dimmable

led



● smokey black with black cords 4018

○ pure white with orange cords 4019




MR. TUBES LED Double 2700K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 3,9 kg
IP 20
Volt: 220–240 V | 23 Watt
2272 lumen | 2700K | CRI: >90
Phase cut dimmable

led

p. 98



● smokey black with black cords 4015

○ pure white with orange cords 4020




MR. TUBES LED Double 4000K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 3,9 kg
IP 20
Volt: 220–240 V | 23 Watt
2272 lumen | 4000K | CRI: >90
Phase cut dimmable

led

p. 98



● smokey black with black cords 4016

○ pure white with orange cords 4021




MR. TUBES LED Wall
driver separate 2700K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 1,1 kg
IP 20 | Volt: 220–240 V | 8 Watt
865 lumen | 2700K | CRI: >90
Phase cut dimmable

Wingnut solid brass included

led



● smokey black with black cords 4035

○ pure white with orange cords 4037




MR. TUBES LED Wall
driver separate 4000K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 1,1 kg
IP 20 | Volt: 220–240 V | 8 Watt
865 lumen | 4000K | CRI: >90
Phase cut dimmable

Wingnut solid brass included

led



● smokey black with black cords 4036

○ pure white with orange cords 4038

light source(s) not included led integrated LED




MR. TUBES LED Wall
driver on fixture 2700K with cord
Anton de Groof, 2019

Material: aluminum & steel
Weight: 1,3 kg
IP 20 | Volt: 220–240 V | 8 Watt
865 lumen | 2700K | CRI: >90
Phase cut dimmable
Cord length: 3000 mm

Wingnut solid brass included

led



● smokey black with black cords 4039
○ pure white with orange cords 4041




MR. TUBES LED Wall
driver on fixture 2700K install
Anton de Groof, 2019

Material: aluminum & steel
Weight: 1,3 kg
IP 20 | Volt: 220–240 V | 8 Watt
865 lumen | 2700K | CRI: >90
Phase cut dimmable

Wingnut solid brass included

led



● smokey black with black cords 4031
○ pure white with orange cords 4033




MR. TUBES LED Wall
driver on fixture 4000K with cord
Anton de Groof, 2019

Material: aluminum & steel
Weight: 1,3 kg
IP 20 | Volt: 220–240 V | 8 Watt
865 lumen | 4000K | CRI: >90
Phase cut dimmable
Cord length: 3000 mm

Wingnut solid brass included

led



● smokey black with black cords 4040
○ pure white with orange cords 4042




MR. TUBES LED Wall
driver on fixture 4000K install
Anton de Groof, 2019

Material: aluminum & steel
Weight: 1,3 kg
IP 20 | Volt: 220–240 V | 8 Watt
865 lumen | 4000K | CRI: >90
Phase cut dimmable

Wingnut solid brass included

led



● smokey black with black cords 4043
○ pure white with orange cords 4044




MR. TUBES LED Chandelier 2700K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 7,1 kg
IP 20 | Volt: 220–240 V | 40 Watt
4025 lumen | 2700K | CRI: >90
Phase cut dimmable
Cord length: max 5000 mm

Wingnut solid brass included

led



● smokey black with black cords 4045
○ pure white with orange cords 4050

p. 100

light source(s) not included led integrated LED




p. 100

MR. TUBES LED Chandelier 4000K
Anton de Groof, 2019

Material: aluminum & steel
Weight: 7,1 kg
IP 20 | Volt: 220–240 V | 40 Watt
4025 lumen | 4000K | CRI: >90
Phase cut dimmable
Cord length: max 5000 mm

Wingnut solid brass included

led



- ● smokey black with black cords 4046
- ○ pure white with orange cords 4051




p. 102

MR. TUBES LED Connect
Anton de Groof, 2019

Material: aluminum & steel
IP 20
Volt: 220–240 V
2700K or 4000K
CRI: >90

Wingnut solid brass included

led



Create your
Mr. Tubes LED
Connect with us


info@tonone.com



p. 108

ATLAS D350
Anton de Groof, 2015

Material: brass & hand blown glass
Weight: 4 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 3000 mm




- ○ transparent 1400
- ● neutral grey 1401



p. 108

ATLAS D450
Anton de Groof, 2015

Material: brass & hand blown glass
Weight: 7,6 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: max 3000 mm




- ○ transparent 1403
- ● neutral grey 1404



p. 114

ELLA Black
Anton de Groof, 2016

Material: steel & hand blown glass
Weight: 5,1 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2800 mm
Dimmer on cord



- ○ transparent 1407
- ● neutral grey 1406


light source(s) not included led integrated LED



p. 114

ELLA White
Anton de Groof, 2016

Material: steel & hand blown glass
Weight: 5,1 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2800 mm
Dimmer on cord




transparent	1409
neutral grey	1408



p. 50

BELLA Table
black anodized aluminum fitting
Anton de Groof, 2022

Material: aluminum & steel
Weight: 2,3 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2900 mm
Dimmer on cord




smokey black	1664
flux green	1665
pure white	1666
midnight grey	1667
ash grey	1668
striking orange	1669
lightning white	1670
thunder blue	1671
daybreak rose	1672
sunny yellow	1673
ice blue	1674



p. 50

BELLA Table
brass fitting
Anton de Groof, 2022

Material: aluminum, steel & brass
Weight: 2,3 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2900 mm
Dimmer on cord




smokey black	1653
flux green	1654
pure white	1655
midnight grey	1656
ash grey	1657
striking orange	1658
lightning white	1659
thunder blue	1660
daybreak rose	1661
sunny yellow	1662
ice blue	1663



p. 52

BELLA Pendant
black anodized aluminum fitting
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2700 mm




smokey black	1686
flux green	1687
pure white	1688
midnight grey	1689
ash grey	1690
striking orange	1691
lightning white	1692
thunder blue	1693
daybreak rose	1694
sunny yellow	1695
ice blue	1696



p. 52

BELLA Pendant
brass fitting
Anton de Groof, 2022

Material: aluminum, steel & brass
Weight: 1 kg
IP 20
Volt: 220–240 V | Max Watt: 60 Watt
Socket: E27
Cord length: 2700 mm



smokey black	1675
flux green	1676
pure white	1677
midnight grey	1678
ash grey	1679
striking orange	1680
lightning white	1681
thunder blue	1682
daybreak rose	1683
sunny yellow	1684
ice blue	1685

light source(s) not included led integrated LED




p. 38

ONE + Knob
Anton de Groof, 2022

Material: aluminum & steel
Weight: 0,3 kg
IP 20
Volt: 220–240 V | 1,5 Watt
2700 K | 230 lumen | CRI: 90
Dimmable on fixture
Battery: 5–30 hours
USB-C charging cable included
Cable length: 500 mm

led



- smokey black 5045
- fuzzy white 5046
- heavy metal 5047
- rocky bronze 5066
- fuzzy white with hell orange 5048
- heavy metal with bright yellow 5049




p. 40

ONE + Desk
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1,2 kg
IP 20
Volt: 220–240 V | 1,5 Watt
2700 K | 230 lumen | CRI: 90
Dimmable on fixture
Battery: 5–30 hours
USB-C charging cable
Cable length: 500 mm & 1500 mm

led




- smokey black 5035
- fuzzy white 5036
- heavy metal 5037
- rocky bronze 5067



ONE Desk fixture
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1 kg

USB-C charging cable
Cable length: 1500 mm



- smokey black 5015
- fuzzy white 5016
- heavy metal 5017
- rocky bronze 5018




p. 44

ONE + Wall
Anton de Groof, 2022

Material: aluminum & steel
Weight: 0,5 kg
IP 20
Volt: 220–240 V | 1,5 Watt
2700 K | 230 lumen | CRI: 90
Dimmable on fixture
Battery: 5–30 hours
USB-C charging cable included
Cable length: 500 mm

led




- smokey black 5040
- fuzzy white 5041
- heavy metal 5042
- rocky bronze 5080



ONE Wall fixture
Anton de Groof, 2022

Material: aluminum & steel
Weight: 0,25 kg

USB-C charging cable included



- smokey black 5020
- fuzzy white 5021
- heavy metal 5022
- rocky bronze 5023

light source(s) not included led integrated LED




p. 42

ONE + Floor
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1,4 kg
IP 20
Volt: 220–240 V | 1,5 Watt
2700 K | 230 lumen | CRI: 90
Dimmable on fixture
Battery: 5–30 hours
USB-C charging cable
Cable length: 500 mm & 2500 mm

led



- smokey black 5030
- fuzzy white 5031
- heavy metal 5032
- rocky bronze 5068




ONE Floor fixture
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1,2 kg

USB-C charging cable
Cable length: 2500 mm





- smokey black 5010
- fuzzy white 5011
- heavy metal 5012
- rocky bronze 5013




p. 42

ONE + Floor straight
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1,4 kg
IP 20
Volt: 220–240 V | 1,5 Watt
2700 K | 230 lumen | CRI: 90
Dimmable on fixture
Battery: 5–30 hours
USB-C charging cable
Cable length: 500 mm & 2500 mm

led



- smokey black 5050
- fuzzy white 5051
- heavy metal 5052
- rocky bronze 5069




ONE Floor straight fixture
Anton de Groof, 2022

Material: aluminum & steel
Weight: 1,2 kg

USB-C charging cable
Cable length: 2500 mm






- smokey black 5055
- fuzzy white 5056
- heavy metal 5057
- rocky bronze 5065



ONE Knob
Anton de Groof, 2022

Material: steel
Weight: 0,08 kg



- smokey black 5025
- fuzzy white 5026
- heavy metal 5027
- rocky bronze 5028



ONE 3 Knob
Anton de Groof, 2022

Material: steel
Weight: 3 × 0,08 kg



- smokey black 5058
- fuzzy white 5059
- heavy metal 5060
- rocky bronze 5061

 light source(s) not included led integrated LED




p. 32

BRIDGE 110
Anton de Groof, 2023

Material: aluminum, acrylic & steel
Weight: 1,9 kg
IP 20
Volt: 220–240 V | 18,5 Watt
2700 K | 1180 lumen | CRI: >90
Mains dimmable
Cable length: 3000 mm

led



- lava orange 6000
- toxic green 6001
- fog white 6002
- smoke grey 6003
- cocoa brown 6004




p. 32

BRIDGE 150
Anton de Groof, 2023

Material: aluminum, acrylic & steel
Weight: 2,3 kg
IP 20
Volt: 220–240 V | 25 Watt
2700 K | 1625 lumen | CRI: >90
Mains dimmable
Cable length: 3000 mm

led



- lava orange 6005
- toxic green 6006
- fog white 6007
- smoke grey 6008
- cocoa brown 6009




p. 32

BRIDGE 180
Anton de Groof, 2023

Material: aluminum, acrylic & steel
Weight: 2,6 kg
IP 20
Volt: 220–240 V | 32 Watt
2700 K | 2125 lumen | CRI: >90
Mains dimmable
Cable length: 3000 mm

led



- lava orange 6010
- toxic green 6011
- fog white 6012
- smoke grey 6013
- cocoa brown 6014




p. 32

BRIDGE 220
Anton de Groof, 2023

Material: aluminum, acrylic & steel
Weight: 3 kg
IP 20
Volt: 220–240 V | 38 Watt
2700 K | 2497 lumen | CRI: >90
Mains dimmable
Cable length: 3000 mm

led



- lava orange 6015
- toxic green 6016
- fog white 6017
- smoke grey 6018
- cocoa brown 6019




p. 12

BOLT10 Desk
Anton de Groof, 2025

Material: aluminum & steel
Weight: 1,8 kg
IP 20 | Volt: 220–240 V | 4 Watt
2700 K | 640 lumen | CRI: 90
Dimmable on fixture
With orange cords

Wingnut solid brass included

led



- misty white 7001
- shadow black 7003
- burgundy red 7005
- clay brown 7007

---

light source(s) not included led integrated LED




p. 12

BOLT10 Desk
Anton de Groof, 2025


Material: aluminum & steel
Weight: 1,8 kg
IP 20 | Volt: 220-240 V | 4 Watt
2700 K | 640 lumen | CRI: 90
Dimmable on fixture
With black cords

Wingnut solid brass included

led



- misty white 7004
- shadow black 7000
- burgundy red 7002
- clay brown 7006




p. 14

BOLT10 Floor
Anton de Groof, 2025


Material: aluminum & steel
Weight: 3,3 kg
IP 20 | Volt: 220-240 V | 4 Watt
2700 K | 640 lumen | CRI: 90
Dimmable on fixture
With orange cords

Wingnut solid brass included

led



- misty white 7021
- shadow black 7023
- burgundy red 7025
- clay brown 7027




p. 14

BOLT10 Floor
Anton de Groof, 2025

Material: aluminum & steel
Weight: 3,3 kg
IP 20 | Volt: 220-240 V | 4 Watt
2700 K | 640 lumen | CRI: 90
Dimmable on fixture
With black cords

Wingnut solid brass included

led



- misty white 7024
- shadow black 7020
- burgundy red 7022
- clay brown 7026




p. 16

BOLT10 Wall
Anton de Groof, 2025

Material: aluminum & steel
Weight: 0,4 kg
IP 20 | Volt: 220-240 V | 4 Watt
2700 K | 640 lumen | CRI: 90
Mains dimmable / phase cut
With orange cords

Wingnut solid brass included

led



- misty white 7041
- shadow black 7043
- burgundy red 7045
- clay brown 7047




p. 16

BOLT10 Wall
Anton de Groof, 2025

Material: aluminum & steel
Weight: 0,4 kg
IP 20 | Volt: 220-240 V | 4 Watt
2700 K | 640 lumen | CRI: 90
Mains dimmable / phase cut
With black cords

Wingnut solid brass included

led



- misty white 7044
- shadow black 7040
- burgundy red 7042
- clay brown 7046

light source(s) not included led integrated LED




RAZOR Pendant horizontal
Anton de Groof, 2026

Material: Stainless steel and glass
Weight: 3,7 kg
IP 20 | Volt: 220–240 V | 13,5 Watt
2700 K | 950 lumen | CRI: 90
Cord length: 3000 mm
DALI and mains dimmable

p. 22

led



- waves 8050
- stripes 8051
- hammered 8052
- ripple 8053
- fractured 8054




RAZOR Pendant horizontal
Anton de Groof, 2026

Material: Brass and glass
Weight: 3,7 kg
IP 20 | Volt: 220–240 V | 13,5 Watt
2700 K | 950 lumen | CRI: 90
Cord length: 3000 mm
DALI and mains dimmable

p. 22

led



- waves 8055
- stripes 8056
- hammered 8057
- ripple 8058
- fractured 8059




RAZOR Pendant vertical
Anton de Groof, 2026

Material: Brass and glass
Weight: 1,25 kg
IP 20 | Volt: 220–240 V | 6,5 Watt
2200 K | 250 lumen | CRI: 84
Mains dimmable
Cable length: 3000 mm

p. 24

led



- waves 8060
- stripes 8061
- hammered 8062
- ripple 8063
- fractured 8064




RAZOR Wall
Anton de Groof, 2026

Material: Brass and glass
Weight: 0,75 kg
IP 20 | Volt: 220–240 V | 5,6 Watt
2700 K | 600 lumen | CRI: 90
Mains dimmable

p. 26

led




- waves 8065
- stripes 8066
- hammered 8067
- ripple 8068
- fractured 8069



Wall ring

Material: steel
Optional ring for installation of:

- Bolt Wall install
- Bolt Wall small install
- Bolt Wall mini install
- Bolt Wall underfit install
- Bolt Bed sidefit install
- Bolt Bed underfit install
- Mr. Tubes led wall driver separate install
- Mr. Tubes led wall driver on fixture install



- smokey black 1385
- flux green 1386
- pure white 1387
- midnight grey 1388
- ash grey 1389
- striking orange 1390
- lightning white 1391
- thunder blue 1392
- daybreak rose 1393
- sunny yellow 1394
- ice blue 1650

light source(s) not included led integrated LED


Wingnut



Material: solid brass or black aluminum

Wingnut Solid Brass included with the Bolt Collection and Mr. Tubes LED Pendant horizontal, Wall driver on fixture and Chandelier.

Sold per 10 pieces




- solid brass 1300
- black aluminium 1301

ONE Charging cable



Charging cable for the ONE collection, with a USB C connector at one end and a connector for the ONE lamp at the other. USB power adapter not included.

Available in three lengths:
50 cm for ONE + Knob
150 cm for ONE + Desk
250 cm for ONE + Floor



- 50 cm 8030
- 150 cm 8031
- 250 cm 8032


Cord with dimmer



Model: Tradim 64202
Voltage: 220–240 V AC, 50Hz
Cord: 0.70 m + 1.90 m with Euro plug
Dimming: Trailing edge (R, C)
Load: 2–100 W/VA, max. 70 W LED

Suitable for various Tonone lamps, such as Bella Table, BOLT10 Wall and RAZOR Wall.

Memory function remembers the last used dimming level.



- black 8033


Foot dimmer LED



Without cord
Model: Tradim 64312
Voltage: 220–240 V AC, 50Hz

Dimming method: Trailing edge (R, C)
Minimum load: 2 W
Maximum load: 100 W/VA, 70 W LED

Memory function remembers the last used dimming level.



- black 8034

light source(s) not included led integrated LED

Special thanks to:

PHOTOGRAPHY
Frank van Delft
Wonderwood – Laura Westendorp

LOCATIONS

Studio Noorderfabriek
Lexson Fashion Brand
PARK Den Bosch
Paris – Playground Pigalle
Atelier UMA
Studio Mucha
Jolo Fashion
Paris – BLEND
Janniene Brouwer
Róhe Frames
Paris – Palais Royal 'Les Deux Plateaux'
Ruby Tuesday

Familie Theuns
Uylenhof Hotel
Market Benelux
Studio ByFrank
Theater de Kattendans
Studio Bovitec
Interior Vitamins
Bibelotte
Visserette Polpo
Go Dutch Label
Anette van der Horst – Buchta
Royal Drunen

Tonone

Veemarktkade 8 – 6117
5222 AE Den Bosch
The Netherlands
info@tonone.com
www.tonone.com
+31 (0) 85 782 13 33
BTW / VAT NL 8532 13 215 B01
KVK / CH.O.C. 58 86 26 92

tonone_official

All information provided in this catalog is subject to change
and may contain errors or inaccuracies
copyright © Tonone 2026
All rights reserved





tonone.com